



CAU305^{Q&As}

CyberArk CDE Recertification

Pass CyberArk CAU305 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/cau305.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by CyberArk
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

The password upload utility can be used to create Safes.

- A. True
- B. False

Correct Answer: A

Reference: https://docs.cyberark.com/Product-Doc/OnlineHelp/PAS/Latest/en/Content/PASIMP/Password-Upload-Utility.htm#_Ref364685337

QUESTION 2

When a DR Vault Server becomes an active vault, it will automatically fail back to the original state once the Primary Vault comes back online.

- A. True, this is the default behavior.
- B. False, this is not possible.
- C. True, if the AllowFailback setting is set to "yes" in the padr.ini file.
- D. True, if the AllowFailback setting is set to "yes" in the dbparm.ini file.

Correct Answer: B

Reference: <https://docs.cyberark.com/Product-Doc/OnlineHelp/PAS/Latest/en/Content/PASIMP/Initiating-DR-Failback-to-Production-Vault.htm>

QUESTION 3

If a transparent user matches two different directory mappings, how does the system determine which user template to use?

- A. The system will use the template for the mapping listed first.
- B. The system will use the template for the mapping listed last.
- C. The system will grant all of the Vault authorizations from the two templates.
- D. The system will grant only the Vault authorizations that are listed in both templates.

Correct Answer: A

QUESTION 4

Which of the following components can be used to create a tape backup of the Vault?



- A. Disaster Recovery
- B. Distributed Vaults
- C. Replicate
- D. High Availability

Correct Answer: C

QUESTION 5

When managing SSH keys, the Central Policy Manager (CPM) stores the private key _____.

- A. in the Vault
- B. on the target server
- C. in the Vault and on the target server
- D. nowhere because the private key can always be generated from the public key

Correct Answer: A

Reference: <https://docs.cyberark.com/Product-Doc/OnlineHelp/PAS/Latest/en/Content/SSHKM/Managing%20SSH%20Keys.htm>

[CAU305 Practice Test](#)

[CAU305 Exam Questions](#)

[CAU305 Braindumps](#)