

# CDL<sup>Q&As</sup>

Commercial Drivers License

## Pass CDL CDL Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.passapply.com/cdl.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by CDL Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



## https://www.passapply.com/cdl.html

### 2021 Latest passapply CDL PDF and VCE dumps Download

#### **QUESTION 1**

Which of the following is often referred to as a smooth bore tank?

- A. Portable Tank
- B. Tank with a stainless steel interior
- C. Baffled liquid tanks
- D. Unbaffled liquid tank

Correct Answer: D

The correct answer is: Unbaffled liquid tank. A smooth bore tanker has no baffles. Smooth bore tanker are often used to deliver milk and food products because sanitation regulations forbid the use of baffles because of the difficulty in cleaning the inside of the tanks.

#### **QUESTION 2**

On older trailers, what will happen if the emergency and service air lines are crossed?

- A. Nothing will happen, they are designed to be interchangeable
- B. The trailer spring brakes will release
- C. Water and oil will build up in the air tanks
- D. You could drive away, but you will not have trailer brakes

Correct Answer: D

The correct answer is: You could drive away, but you will not have trailer brakes. Older trailers don\\'t have spring brakes so if the air supply in the trailer air tanks has leaked away, there will be no emergency brakes.

#### **QUESTION 3**

When testing the air leakage rate (by turning off the engine and releasing the parking brake), what is an acceptable air loss rate?

- A. Less than 2 psi in one minute for single vehicles and less than 3 psi in one minute for combination vehicles.
- B. Less than 3 psi in one minute for both single and combination vehicles
- C. Less than 3 psi in one minute for single vehicles and less than 2 psi in one minute for combination vehicles.
- D. Less than 2 psi in one minute for both single and combination vehicles

Correct Answer: A

The correct answer is: Less than 2 psi in one minute for single vehicles and less than 3 psi in one minute for



## https://www.passapply.com/cdl.html

2021 Latest passapply CDL PDF and VCE dumps Download

combination vehicles. You should test for air leakage with a fully-charged air system. The loss rate should be less than two psi in one minute.

#### **QUESTION 4**

Why should you be in the proper gear before starting down a hill?

- A. Because it helps build up air pressure in your air tanks
- B. It is better than being in an improper gear
- C. Water can build up in your air tanks by not relying on the engine braking
- D. Brakes can fade or fail from excessive heat caused by using them too much and not relying on the engine braking effect

Correct Answer: D

#### **QUESTION 5**

Shippers package in order to Blank the material

- A. Mark
- B. Ship
- C. Distribute
- D. Contain

Correct Answer: D

Latest CDL Dumps

**CDL VCE Dumps** 

**CDL** Braindumps



To Read the Whole Q&As, please purchase the Complete Version from Our website.

## Try our product!

100% Guaranteed Success

100% Money Back Guarantee

365 Days Free Update

**Instant Download After Purchase** 

24x7 Customer Support

Average 99.9% Success Rate

More than 800,000 Satisfied Customers Worldwide

Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

https://www.passapply.com/allproducts

## **Need Help**

Please provide as much detail as possible so we can best assist you. To update a previously submitted ticket:





Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © passapply, All Rights Reserved.