



# CEH-001<sup>Q&As</sup>

Certified Ethical Hacker (CEH)

## Pass GAQM CEH-001 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/ceh-001.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by GAQM  
Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers





### QUESTION 1

Which type of Nmap scan is the most reliable, but also the most visible, and likely to be picked up by an IDS?

- A. SYN scan
- B. ACK scan
- C. RST scan
- D. Connect scan
- E. FIN scan

Correct Answer: D

---

### QUESTION 2

What type of OS fingerprinting technique sends specially crafted packets to the remote OS and analyzes the received response?

- A. Passive
- B. Reflective
- C. Active
- D. Distributive

Correct Answer: C

---

### QUESTION 3

To what does "message repudiation" refer to what concept in the realm of email security?

- A. Message repudiation means a user can validate which mail server or servers a message was passed through.
- B. Message repudiation means a user can claim damages for a mail message that damaged their reputation.
- C. Message repudiation means a recipient can be sure that a message was sent from a particular person.
- D. Message repudiation means a recipient can be sure that a message was sent from a certain host.
- E. Message repudiation means a sender can claim they did not actually send a particular message.

Correct Answer: E

---

### QUESTION 4



Which of the following conditions must be given to allow a tester to exploit a Cross-Site Request Forgery (CSRF) vulnerable web application?

- A. The victim user must open the malicious link with an Internet Explorer prior to version 8.
- B. The session cookies generated by the application do not have the HttpOnly flag set.
- C. The victim user must open the malicious link with a Firefox prior to version 3.
- D. The web application should not use random tokens.

Correct Answer: D

---

### QUESTION 5

While examining a log report you find out that an intrusion has been attempted by a machine whose IP address is displayed as 0xde.0xad.0xbe.0xef. It looks to you like a hexadecimal number. You perform a ping 0xde.0xad.0xbe.0xef. Which of the following IP addresses will respond to the ping and hence will likely be responsible for the intrusion?

- A. 192.10.25.9
- B. 10.0.3.4
- C. 203.20.4.5
- D. 222.273.290.239

Correct Answer: D

[Latest CEH-001 Dumps](#)

[CEH-001 PDF Dumps](#)

[CEH-001 Study Guide](#)