



CEH-001^{Q&As}

Certified Ethical Hacker (CEH)

Pass GAQM CEH-001 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/ceh-001.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by GAQM
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

For messages sent through an insecure channel, a properly implemented digital signature gives the receiver reason to believe the message was sent by the claimed sender. While using a digital signature, the message digest is encrypted with which key?

- A. Sender's public key
- B. Receiver's private key
- C. Receiver's public key
- D. Sender's private key

Correct Answer: D

QUESTION 2

_____ is found in all versions of NTFS and is described as the ability to fork file data into existing files without affecting their functionality, size, or display to traditional file browsing utilities like dir or Windows Explorer

- A. Alternate Data Streams
- B. Merge Streams
- C. Steganography
- D. NetBIOS vulnerability

Correct Answer: A

QUESTION 3

An attacker has successfully compromised a remote computer. Which of the following comes as one of the last steps that should be taken to ensure that the compromise cannot be traced back to the source of the problem?

- A. Install patches
- B. Setup a backdoor
- C. Install a zombie for DDOS
- D. Cover your tracks

Correct Answer: D

QUESTION 4

Syslog is a standard for logging program messages. It allows separation of the software that generates messages from



the system that stores them and the software that reports and analyzes them. It also provides devices, which would otherwise be unable to communicate a means to notify administrators of problems or performance.

System Messages from the previous week

Thursday, July 20, 2006 12:21:25 PM CDT

Lists all system messages reported during the past 7 days

Number of records reported: 5

Time Stamp	ID	Severity	Server	Component	Error Code
Monday, July 17, 2006 2:49:30 PM CDT	870ef3dd1c10e5c6:19ee8a:10c7e0883f7-7ff8	Fatal	dhcp-uas09-147-76	Logging	ERROR
Monday, July 17, 2006 12:36:59 PM CDT	870ef3dd1c10e5c6:1983ad7:10c7d8ece05-7fb	Fatal	dhcp-uas09-147-76	Logging	ERROR
Thursday, July 20, 2006 12:20:46 PM CDT	2fe1c4f202a318cd:15ad36d:10c8c6040be:7fc0	Fatal	dhcp-uas09-147-110	Logging	ERROR
Thursday, July 20, 2006 9:43:14 AM CDT	2fe1c4f202a318cd:15ad36d:10c8c6040be:7fdd	Fatal	dhcp-uas09-147-110	Logging	ERROR


What default port Syslog daemon listens on?

- A. 242
- B. 312
- C. 416
- D. 514

Correct Answer: D

QUESTION 5

Vulnerability scanners are automated tools that are used to identify vulnerabilities and misconfigurations of hosts. They also provide information regarding mitigating discovered vulnerabilities.



Which of the following statements is incorrect?

- A. Vulnerability scanners attempt to identify vulnerabilities in the hosts scanned.
- B. Vulnerability scanners can help identify out-of-date software versions, missing patches, or system upgrades
- C. They can validate compliance with or deviations from the organization's security policy
- D. Vulnerability scanners can identify weakness and automatically fix and patch the vulnerabilities without user intervention

Correct Answer: D

[CEH-001 PDF Dumps](#)

[CEH-001 Exam Questions](#)

[CEH-001 Brindumps](#)