



# CIS-DISCOVERY<sup>Q&As</sup>

Certified Implementation Specialist-Discovery

## Pass ServiceNow CIS-DISCOVERY Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/cis-discovery.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by ServiceNow Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

What entry point type must a horizontal pattern have to execute from a process classifier?

- A. A subnet entry point type.
- B. HTTP(S) entry point type if the pattern is running on a web server application.
- C. TCP entry point type or ALL entry point type.
- D. It does not matter, it is triggered for all entry point types.

Correct Answer: C

Reference: <https://docs.servicenow.com/bundle/quebec-it-operations-management/page/product/discovery/concept/c-UsingPatternsForHorizontalDiscovery.html>

---

### QUESTION 2

By default, which of the following are automatically available as variables for horizontal discovery patterns? (Choose two.)

- A. infrastructure\_system
- B. The CI Type on the Discovery Pattern form
- C. windows\_cmdb\_ci
- D. computer\_system

Correct Answer: BD

Reference: [https://docs.servicenow.com/bundle/quebec-it-operations-management/page/product/service-mapping/reference/r\\_PatternVariables.html](https://docs.servicenow.com/bundle/quebec-it-operations-management/page/product/service-mapping/reference/r_PatternVariables.html)

---

### QUESTION 3

What pattern operation allows the transfer of a file from the MID Server to a target?

- A. Parse file
- B. Create Connection
- C. Put file
- D. Manage Attachments

Correct Answer: C



#### QUESTION 4

The following shows part of the Windows OS - Servers pattern in Pattern Designer:



Which of the steps above use(s) a shared library?

- A. Step 26
- B. Neither step
- C. Step 25
- D. Both steps

Correct Answer: C

#### QUESTION 5

Which choice allows the following functionality to occur?

If this value is set to 1000 and a discovery must scan 10,000 IP addresses using a single MID Server, it creates 10 Shazzam probes with each probe scanning 1000 IP addresses.

- A. MID Server Clusters
- B. MID Server selection method
- C. Shazzam Batch Size
- D. Behaviors

Correct Answer: C

Reference: [https://docs.servicenow.com/bundle/quebec-it-operations-management/page/product/discovery/task/t\\_CreateADiscoverySchedule.html](https://docs.servicenow.com/bundle/quebec-it-operations-management/page/product/discovery/task/t_CreateADiscoverySchedule.html)



VCE & PDF

PassApply.com

<https://www.passapply.com/cis-discovery.html>

2024 Latest passapply CIS-DISCOVERY PDF and VCE dumps Download

---

[Guide](#)

[Questions](#)

[Braindumps](#)