



CTFL-FOUNDATION^{Q&As}

ISTQB Certified Tester Foundation Level

Pass ISTQB CTFL-FOUNDATION Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/ctfl-foundation.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by ISTQB
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

Consider the following pseudo code:

```
1 Begin 2 Read Time 3 If Time < 12 Then 7 Print(Time -12, "pm") 8 Endif 9 If Time = 12 Then 10 Print (Time, "noon") 11 Endif 12 End
```

How many test cases are needed to achieve 100 per cent decision coverage?

- A. 1
- B. 2
- C. 3
- D. 4

Correct Answer: C

QUESTION 2

Which of the following is a benefit of independent testing?

- A. Code cannot be released into production until independent testing is complete.
- B. Testing is isolated from development.
- C. Independent testers find different defects and are unbiased.
- D. Developers do not have to take as much responsibility for quality.

Correct Answer: C

QUESTION 3

For which of the following activities is a static analysis tool NOT useful?

- A. Detecting dependencies in software modules
- B. Quantitative analysis related to the tests (e.g. tests passed)
- C. Enforcement of coding standards
- D. Calculation of complexity of the code

Correct Answer: B

QUESTION 4



Which of the following statements is NOT correct?

- A. Functional tests consider the external behavior of the software.
- B. Functional tests may be performed at all test levels.
- C. Non-functional tests may be performed at all test levels.
- D. Non-functional tests test the interoperability with other systems.

Correct Answer: A

QUESTION 5

A system is designed to accept values of examination marks as follows:

Fail: 039 inclusive Pass: 4059 inclusive Merit: 6079 inclusive Distinction: 80100 inclusive

In which of the following sets of values are all values in different equivalence partitions?

- A. 25, 40, 60, 75
- B. 0, 45, 79, 87
- C. 35, 40, 59, 69
- D. 25, 39, 60, 81

Correct Answer: B

[CTFL-FOUNDATION PDF Dumps](#)

[CTFL-FOUNDATION Practice Test](#)

[CTFL-FOUNDATION Exam Questions](#)