



CWAP-403^{Q&As}

Certified Wireless Analysis Professional

Pass CWNP CWAP-403 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/cwap-403.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by CWNP
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

A client is operating in an unstable RF environment. Out of five data frames transmitted to the client it only receives four. The client sends a Block Ack to acknowledge the receipt of these four frames but due to frame corruption the Block Ack is not received by the AP. Which frames will be transmitted?

- A. Only the data frame which was corrupted
- B. Both the corrupted data and Block Ack
- C. All data frames
- D. Only the Block Ack

Correct Answer: D

QUESTION 2

In a Spectrum Analyzer the Swept Spectrogram plot displays what information?

- A. The RF time domain
- B. RF power present at a particular frequency over the course of time
- C. Wi-Fi Device information
- D. Duty cycle in the frequency domain

Correct Answer: D

QUESTION 3

Why would a STA that supports 802.11k Radio Measurement send a Neighbor Request to an AP?

- A. To learn about neighboring interference sources and tune its RF radio accordingly
- B. To inform the current AP about the STA's intent to roam to a neighboring AP, ensuring a seamless handover
- C. To request a list of neighboring APs which the STA can use as roaming candidates
- D. To request a list of neighboring STAs which enables the STA to better pick the right protection mechanisms

Correct Answer: C

QUESTION 4

How does a VoIP Phone, using WMM Power Save, request data frames buffered at the AP?

- A. The VoIP phone transmits a PS-Poll frame



- B. The VoIP phone transmits a trigger frame
- C. The VoIP phone sets the More Data bit in the MAC Header to 1
- D. The VoIP phone The VoIP transmits a WMM Action frame

Correct Answer: B

QUESTION 5

What Interframe space would be expected between a CTS and a Data frame?

- A. SIFS
- B. DIFS
- C. AIFS
- D. PIFS

Correct Answer: A

[Latest CWAP-403 Dumps](#)

[CWAP-403 Exam Questions](#)

[CWAP-403 Braindumps](#)