



CWDP-303^{Q&As}

Certified Wireless Design Professional

Pass CWNP CWDP-303 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/cwdp-303.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by CWNP
Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers





QUESTION 1

During a validation site survey, you realize that the installers mounted some of the APs above the ceiling. They said that this was a request from the building architect due to aesthetics constraints. During the requirements gathering, you weren't advised about any aesthetics constraints from the main stakeholder of the project. What should you do in this case?

- A. Advise the stakeholder that WLAN performance requirements will not be met and a new design process will be needed to meet the requirements.
- B. Leave it as it is and allow automatic channel management to correct any issues.
- C. Increase the output power on all APs by 6 dB immediately.
- D. Remove all external antennas and use only the internal antennas to reduce multipath.

Correct Answer: A

QUESTION 2

You're preparing to perform a site survey for a company that processes meat. Some areas are restricted due to high-security. What do you have to do in order to proceed with the site survey?

- A. Gain appropriate access and clearance to perform the site survey.
- B. Gain meat processing access certification from the FDA.
- C. Ensure that you and your team are using food industry approved USB adapters for the survey.
- D. Just begin the survey, they will understand

Correct Answer: A

QUESTION 3

When designing a WLAN to support voice in a large office, which design element is of the highest concern for performance?

- A. Frequency Selection
- B. Roaming
- C. AP vendor
- D. Band steering

Correct Answer: A

QUESTION 4



A business traveler from North America is in Europe. The hotel only provides coverage in 2.4 GHz. The traveler connects to the hotel's SSID and notices an AP in the hotel room. However, the laptop reports a very low RSSI when connected. The traveler does not have the same problem when connecting in the lobby. What would be the most likely cause of the low RSSI in the hotel room?

- A. The AP in the room is using ZigBee instead of Wi-Fi.
- B. The AP in the room is transmitting on channel 13 and the traveler associated to a non-channel 13 AP located elsewhere.
- C. The switchport that the AP is connected to is only capable of transmitting at 10 Mbps.
- D. The AP in the room is using Bluetooth instead of Wi-Fi.

Correct Answer: C

QUESTION 5

What advantage provided by 802.11n and 802.11ac is not usable in 1X1:1 low-end client devices?

- A. Channel bonding
- B. MCS data rates
- C. Maximal Ratio Combining
- D. Mandatory data rates

Correct Answer: D

[Latest CWDP-303 Dumps](#)

[CWDP-303 Study Guide](#)

[CWDP-303 Braindumps](#)