



CWDP-303^{Q&As}

Certified Wireless Design Professional

Pass CWNP CWDP-303 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/cwdp-303.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by CWNP
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

You are conducting a physical site survey where heavy machinery is repaired. What is a common item required specifically for this type of survey?

- A. Personal Protective Equipment (PPE)
- B. Low gain antennas
- C. Low power APs
- D. Indoor APs

Correct Answer: A

QUESTION 2

When performing an active site survey in an existing WLAN infrastructure, in addition to gathering throughput data, what other important function will you typically be testing at the same time?

- A. Application filtering
- B. Internet bandwidth
- C. Roaming
- D. ACL configuration

Correct Answer: C

QUESTION 3

What service must be implemented on your customers' network to authenticate users against an LDAP database prior to access to the WLAN infrastructure being granted?

- A. NTP
- B. RADIUS
- C. SFTP
- D. TLS

Correct Answer: B

Reference: https://www.cisco.com/c/en/us/td/docs/wireless/controller/8-5/config-guide/b_cg85/wlan_security.pdf

QUESTION 4



After deploying a 5 GHz-only WLAN infrastructure in the USA, using 20 MHz channel-widths and all 25 available channels, one of the managers of the company brings his 802.11n tablet to the office to test the Guest SSID. While testing, there were several spots where we would get poor RSSI (below -80dBm) or none at all. You checked the WLAN infrastructure and all APs are up and running and you've validated coverage after deployment. What is causing this issue?

- A. His tablet doesn't support the 5 GHz band
- B. His tablet only supports a 40 MHz channel-width
- C. His tablet does not support one or more of the 5 GHz channels
- D. His tablet doesn't support MU-MIMO

Correct Answer: D

QUESTION 5

After designing and deploying a WLAN infrastructure, you realized the CCI is causing poor performance in the 2.4 GHz band. Primarily, you've designed the WLAN for 5 GHz and 2.4 GHz as a best effort. You found out that the implementers didn't follow your guidelines when configuring the WLAN infrastructure.

What can you do to minimize as much as possible the CCI impact in the 2.4 GHz band?

- A. Add more APs to the infrastructure
- B. Increase the transmit power on all APs
- C. Turn-off 2.4 GHz radios on some APs
- D. Use all channels available in the 2.4 GHz band

Correct Answer: C

[CWDP-303 Study Guide](#)

[CWDP-303 Exam Questions](#)

[CWDP-303 Braindumps](#)