



CWNA-106^{Q&As}

Certified Wireless Network Administrator

Pass CWNP CWNA-106 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/cwna-106.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by CWNP
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Users and Network support personnel at a mid-sized equipment manufacturer have been discussing the potential uses and benefits of implementing an indoor WLAN. The network administrator and network manager have requested a meeting of senior management personnel to discuss a WLAN implementation before performing a site survey or taking any implementation steps. The first topic of discussion in the meeting is the corporate policy concerning implementation and use of WLAN technology.

What specific topics are appropriate in this policy meeting? (Choose 2)

- A. Use of the latest 802.11ac equipment
- B. Business justification
- C. User productivity impact
- D. Antenna types
- E. Defining RF channels for use

Correct Answer: BC

QUESTION 2

What parameter of the client driver should be configured on a Windows computer to optimize moving from one AP to another within the ESS?

- A. Band preference
- B. Roaming threshold
- C. ESSID selection
- D. SSID selection

Correct Answer: C

QUESTION 3

What can cause an excessively high VSWR (Voltage Standing Wave Ratio) in a WLAN RF transmission line?

- A. An impedance mismatch in the RF cables and connectors
- B. Reflected direct current (DC) voltage on the main RF signal line
- C. Attenuation of the RF signal as it travels along the main signal path
- D. Crosstalk (inductance) between adjacent RF conductors

Correct Answer: A



QUESTION 4

What WLAN system feature is required to produce a scenario with the following configuration on a single access point?
(Choose 2)

1.

SSID = Guest / BSSID = AA:AA:AA:AA:AA:AA /

VLAN = 22 / Subnet = 192.168.22.0 / RF Channel = 6

2.

SSID = Corporate / BSSID = BB:BB:BB:BB:BB:BB /

VLAN = 33 / Subnet = 192.168.33.0 / RF Channel = 6 / User Type A

3.

SSID = Corporate / BSSID = BB:BB:BB:BB:BB:BB /

VLAN = 44 / Subnet = 192.168.44.0 / RF Channel = 6 / User Type B

- A. Multiple WLAN Profiles
- B. Call Admission Control
- C. Virtual Cell with SCA
- D. Access Categories
- E. User-based authentication
- F. Dual-radio AP hardware
- G. Integrated DHCP server

Correct Answer: AE

QUESTION 5

You are using a tool that allows you to see signal strength for all APs in the area with a visual representation. It shows you SSIDs available and the security settings for each SSID. It allows you to filter by frequency band to see only 2.4 GHz networks or only 5 GHz networks. No additional features are available. What kind of application is described?

- A. Site survey utility
- B. Protocol analyzer
- C. Spectrum analyzer
- D. WLAN discovery tool



Correct Answer: D

[CWNA-106 PDF Dumps](#)

[CWNA-106 VCE Dumps](#)

[CWNA-106 Exam Questions](#)