



CWNA-106^{Q&As}

Certified Wireless Network Administrator

Pass CWNP CWNA-106 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/cwna-106.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by CWNP
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

What statement describes the authorization component of a AAA implementation?

- A. Verifying that a user is who he says he is
- B. Validating client device credentials against a database
- C. Logging the details of user network behavior in order to review it at a later time
- D. Granting access to specific network services according to a user profile
- E. Implementing a WIPS as a full-time monitoring solution to enforce policies

Correct Answer: D

QUESTION 2

Prior to association, what parameter can 802.11 client devices measure and use to select the optimal access point for association?

- A. Signal strength of access point beacons received
- B. Proximity to potential access points
- C. Retry rate of probe request and response frames
- D. Average round trip time to reach the Internet DNS server
- E. Average round trip time to reach the IP router

Correct Answer: A

QUESTION 3

The client devices that connect to your network include a mix of dual-band 802.11n and 802.11ac, single-band 802.11b/g/n, and some 802.11a/g/n. Your access points are configured with the same SSID on both the 2.4 and 5 GHz bands. The APs are also configured to prioritize client connectivity to 5 GHz.

How does an AP perform band steering to encourage clients to use 5 GHz?

- A. When the client sends a probe request in the 2.4 GHz band, the AP may reply with information about the 5 GHz BSS.
- B. The AP may ignore the initial probe requests or 802.11 authentication requests sent in the 2.4 GHz band by dual-band clients
- C. The AP may allow an 802.11 association with the client in the 2.4 GHz band, then send unicast channel switch announcements to the client announcing the 5 GHz channel as the new channel.
- D. The AP may allow an 802.11 association with the client in the 2.4 GHz band, then the AP may perform a transparent client handoff by transferring the client's MAC address to the 5 GHz radio.



Correct Answer: B

QUESTION 4

What statement about 802.11 WLAN performance is true?

- A. Use of larger frame sizes results in greater throughput in low interference environments.
- B. BSS support for 65 KB A-MPDUs will increase the maximum data rate available to client devices.
- C. In 802.11ac, changing the security mechanism from WPA2-Personal to WPA2-Enterprise will enable the VHT MCS rates.
- D. Compared to an Independent BSS, an Infrastructure BSS can provide almost twice the throughput between wireless nodes.

Correct Answer: A

QUESTION 5

Why is it recommended for a wireless network administrator to disable 1 Mbps and 2 Mbps data rates on the WLAN infrastructure? (Choose 2)

- A. To improve capacity in the BSS
- B. To reduce the size of the AP's effective service area
- C. To prevent 802.11b devices from associating
- D. To maximize the range of the highest data rates
- E. To prevent VoWiFi multicast frames
- F. To enable support for long preambles

Correct Answer: AB

[Latest CWNA-106 Dumps](#)

[CWNA-106 VCE Dumps](#)

[CWNA-106 Braindumps](#)