



# CWNA-108<sup>Q&As</sup>

Certified Wireless Network Administrator

**Pass CWNP CWNA-108 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/cwna-108.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by CWNP  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

What non-standard WLAN solution attempts to give a longer transmission windows to devices with higher data rates then devise with lower data rates?

- A. AirTime Fairness
- B. Band Steering
- C. ARM
- D. RRM

Correct Answer: A

---

### QUESTION 2

You are evaluating access points for use in the 5 GHZ frequency band. What PHY supports this band and supports 80 MHz channels?

- A. OFDM
- B. HT
- C. VHT
- D. ERP

Correct Answer: C

Reference <https://www.cwnp.com/802-11ac-vht-just-the-facts/>

---

### QUESTION 3

What statement about 802.11 WLAN performance is true?

- A. In modern networks, both centralized and distributed data forwarding work well for most standard office deployments
- B. In most WLANs, no special skill or tuning is required to get peak performance
- C. WLANs perform better as more wireless clients connect with each AP
- D. To get the best performance out of an AP, you should disable data rates of 72 Mbps and lower

Correct Answer: D

---

### QUESTION 4

What 802.11 PHY uses available space in very low frequency ranges that is not in use at the time by broadcast video



signals?

- A. DMG
- B. SIG
- C. DSSS
- D. TVNT

Correct Answer: C

---

#### QUESTION 5

A client STA must choose the best AP for connectivity. As part of the evaluation, it must verify compatible data rates. What can the client STA use to verify that an AP supports the same data rates that it supports?

- A. Beacon frames transmitted by the AP
- B. Data frames sent between the AP and current clients STAs
- C. Authentication frames transmitted by the other client STAs
- D. Probe request frames transmitted by other client STAs

Correct Answer: D

Reference <https://supportforums.cisco.com/t5/wireless-mobility-documents/802-11-sniffer-capture-analysis-management-frames-and-open-auth/ta-p/3120622>

[CWNA-108 Practice Test](#)

[CWNA-108 Study Guide](#)

[CWNA-108 Braindumps](#)