



CWSP-206^{Q&As}

CWSP Certified Wireless Security Professional

Pass CWNP CWSP-206 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/cwsp-206.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by CWNP
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

WLAN protocol analyzers can read and record many wireless frame parameters. What parameter is needed to physically locate rogue APs with a protocol analyzer?

- A. IP Address
- B. Noise floor
- C. RSN IE
- D. SSID
- E. Signal strength
- F. BSSID

Correct Answer: E

QUESTION 2

Role-Based Access Control (RBAC) allows a WLAN administrator to perform what network function?

- A. Provide two or more user groups connected to the same SSID with different levels of network privileges.
- B. Allow access to specific files and applications based on the user's WMM access category.
- C. Allow simultaneous support for multiple EAP types on a single access point.
- D. Minimize traffic load on an AP by requiring mandatory admission control for use of the Voice access category.

Correct Answer: A

QUESTION 3

What protocol, listed here, allows a network manager to securely administer the network?

- A. TFTP
- B. Telnet
- C. HTTPS
- D. SNMPv2

Correct Answer: C

QUESTION 4



Your company has just completed installation of an IEEE 802.11 WLAN controller with 20 controller-based APs. The CSO has specified PEAPv0/EAP-MSCHAPv2 as the only authorized WLAN authentication mechanism. Since an LDAP-compliant user database was already in use, a RADIUS server was installed and is querying authentication requests to the LDAP server. Where must the X.509 server certificate and private key be installed in this network?

- A. Controller-based APs
- B. WLAN controller
- C. RADIUS server
- D. Supplicant devices
- E. LDAP server

Correct Answer: C

QUESTION 5

A network security auditor is preparing to perform a comprehensive assessment of an 802.11ac network's security. What task should be performed at the beginning of the audit to maximize the auditor's ability to expose network vulnerabilities?

- A. Identify the IP subnet information for each network segment.
- B. Identify the manufacturer of the wireless infrastructure hardware.
- C. Identify the skill level of the wireless network security administrator(s).
- D. Identify the manufacturer of the wireless intrusion prevention system.
- E. Identify the wireless security solution(s) currently in use.

Correct Answer: E

[CWSP-206 PDF Dumps](#)

[CWSP-206 Practice Test](#)

[CWSP-206 Study Guide](#)