



# CWSP-206<sup>Q&As</sup>

CWSP Certified Wireless Security Professional

**Pass CWNP CWSP-206 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/cwsp-206.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by CWNP  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





### QUESTION 1

You are the WLAN administrator in your organization and you are required to monitor the network and ensure all active WLANs are providing RSNs. You have a laptop protocol analyzer configured. In what frame could you see the existence or non-existence of proper RSN configuration parameters for each BSS through the RSN IE?

- A. CTS
- B. Beacon
- C. RTS
- D. Data frames
- E. Probe request

Correct Answer: B

---

### QUESTION 2

You manage a wireless network that services 200 wireless users. Your facility requires 20 access points, and you have installed an IEEE 802.11-compliant implementation of 802.1X/LEAP with AES-CCMP as an authentication and encryption solution. In this configuration, the wireless network is initially susceptible to what type of attack?

- A. Offline dictionary attacks
- B. Application eavesdropping
- C. Session hijacking
- D. Layer 3 peer-to-peer
- E. Encryption cracking

Correct Answer: A

---

### QUESTION 3

The following numbered items show some of the contents of each of the four frames exchanged during the 4-way handshake.

1.  
Encrypted GTK sent
2.  
Confirmation of temporal key installation
- 3.



ANonce sent from authenticator to supplicant

4.

SNonce sent from supplicant to authenticator, MIC included

Arrange the frames in the correct sequence beginning with the start of the 4-way handshake.

A. 1, 2, 3, 4

B. 3, 4, 1, 2

C. 4, 3, 1, 2

D. 2, 3, 4, 1

Correct Answer: B

---

#### QUESTION 4

ABC Company has a WLAN controller using WPA2-Enterprise with PEAPv0/MS-CHAPv2 and AES-CCMP to secure their corporate wireless data. They wish to implement a guest WLAN for guest users to have Internet access, but want to implement some security controls. The security requirements for the hotspot include:

Cannot access corporate network resources  
Network permissions are limited to Internet access  
All stations must be authenticated

What security controls would you suggest? (Choose the single best answer.)

A. Configure access control lists (ACLs) on the guest WLAN to control data types and destinations.

B. Require guest users to authenticate via a captive portal HTTPS login page and place the guest WLAN and the corporate WLAN on different VLANs.

C. Implement separate controllers for the corporate and guest WLANs.

D. Use a WIPS to deauthenticate guest users when their station tries to associate with the corporate WLAN.

E. Force all guest users to use a common VPN protocol to connect.

Correct Answer: B

---

#### QUESTION 5

WLAN protocol analyzers can read and record many wireless frame parameters. What parameter is needed to physically locate rogue APs with a protocol analyzer?

A. IP Address

B. Noise floor

C. RSN IE



D. SSID

E. Signal strength

F. BSSID

Correct Answer: E

[Latest CWSP-206 Dumps](#)

[CWSP-206 Practice Test](#)

[CWSP-206 Study Guide](#)