

DES-1121 Q&As

Specialist - Implementation Engineer PowerMax and VMAX Family Solutions Version 1.0

Pass EMC DES-1121 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.passapply.com/des-1121.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by EMC
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



https://www.passapply.com/des-1121.html 2024 Latest passapply DES-1121 PDF and VCE dumps Download

QUESTION 1

In PowerMax VMAX All Flash and VMAX3 which thin provisioning component can be changed with SYMCLI or Unisphere?

- A. Storage Resource Pool
- B. Disk Group
- C. Storage Group
- D. Virtual Provisioning Pool

Correct Answer: A

QUESTION 2

What are the Compliance levels tor Storage Groups in Unisphere for PowerMax?

- A. Critical, Marginal. Warning, and No Status
- B. Fatal Critical Warning, and No Status
- C. Fatal. Critical. Stable, and No Status
- D. Critical, Marginal. Stable, and No Status

Correct Answer: D

QUESTION 3

Where is the automatic backup feature for the Solutions Enabler Group Name Services database set?

- A. Daemon options file
- B. SYMAPI options file
- C. SYMAPI variable
- D. SYMCLI environment variable

Correct Answer: C

QUESTION 4

Two RDF groups from two PowerMax arrays have been added to a Consistency Group SRDF/A Multi-Session Consistency has been enabled for the Consistency Group. The RDF daemon has been started on a single host that has access to both the PowerMax arrays



https://www.passapply.com/des-1121.html

2024 Latest passapply DES-1121 PDF and VCE dumps Download

What will happen if the host becomes unavailable?

- A. Cycle switching will stop
- B. RDF links will be suspended immediately
- C. SRDF pair state will become Partitioned
- D. SRDF mode will change to Adaptive Copy Disk

Correct Answer: C

QUESTION 5

A systems administrator asks whether their host is supported for non-disruptive migration (NDM) between PowerMax arrays. The host they plan to migrate has one HBA and no multipathing software. What information should be provided to the administrator?

- A. Install Solutions Enabler on the host
- B. NDM is supported for the host
- C. Upgrade to the latest host HBA driver version
- D. NDM is not supported for the host

Correct Answer: A

Latest DES-1121 Dumps DES-1121 Practice Test DES-1121 Exam Questions