



# DES-1221<sup>Q&As</sup>

Specialist - Implementation Engineer, PowerStore Solutions

## Pass EMC DES-1221 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/des-1221.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by EMC  
Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers





### QUESTION 1

How is the upgrade process on a multi-appliance cluster run?

- A. Master appliance primary node first, then the peer node
- B. On one node at a time
- C. On all primary nodes first, then peer nodes
- D. In parallel on all nodes

Correct Answer: A

---

### QUESTION 2

What is a way to verify the data path connectivity between a source VNX2 storage system and the PowerStore system when configuring an import session?

- A. Examine Fibre Channel zoning
- B. Verify host initiators on PowerStore Manager
- C. Review Server Manager MPIO properties
- D. Use the VNX2 SP ping operation

Correct Answer: C

---

### QUESTION 3

A protection policy with snapshot and replication rules is applied to a file system. What is the result?

- A. Applying the protection policy to the file system fails
- B. Replication rules get ignored and only snapshot rules get applied
- C. Both replication and snapshot rules get applied
- D. Snapshot rules get ignored and only replication rules get applied

Correct Answer: C

Reference: <https://www.dell.com/support/manuals/en-pk/powerstore/pwrstr-protect-data/data-protection-in-powerstore?guid=guid-19c6d0e1-fa20-4fb5-9983-61c17abaf21bandlang=en-us>

---

### QUESTION 4

What are the IP requirements for ICW on PowerStore X and PowerStore T models?



- A. PowerStore T requires three storage IP addresses and PowerStore X requires five storage IP addresses
- B. PowerStore T requires four management IP addresses and PowerStore X requires six management IP addresses
- C. PowerStore T requires five management IP addresses and PowerStore X requires six management IP addresses
- D. PowerStore T requires seven storage IP addresses and PowerStore X requires three storage IP addresses

Correct Answer: C

Reference: <https://www.dell.com/support/manuals/en-pk/powerstore/pwrstr-ntwk-plang/ip-address-requirements-for-initial-configuration?guid=guid-cdb61296-b698-47fb-92ce-284f784cbc2d&lang=en-us>

---

### QUESTION 5

What is the logical block size when creating and formatting volumes on PowerStore for Windows hosts?

- A. 512 bytes
- B. 520 bytes
- C. 4096 bytes
- D. 64 kilobytes

Correct Answer: A

Reference: <https://www.dell.com/support/manuals/en-pk/powerstore/pwrstr-hcg/disk-formatting?guid=guid-27740e37-8432-4241-a3d7-bf18843a94ce&lang=en-us>

[DES-1221 PDF Dumps](#)

[DES-1221 VCE Dumps](#)

[DES-1221 Exam Questions](#)