



DES-1221^{Q&As}

Specialist - Implementation Engineer, PowerStore Solutions

Pass EMC DES-1221 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/des-1221.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by EMC
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

What is the significance of the warning given when a volume with data services is deleted?

- A. Volume is mapped to a host
- B. Volume is participating in a migration
- C. Snapshot is present on the volume
- D. Protection policy is configured on the volume

Correct Answer: B

Reference: <https://www.dell.com/support/manuals/en-pk/powerstore/pwrstr-cfg-vols/delete-a-volume?guid=guid-26e8c12d-a3df-4d4d-8012-ae2ef9e53721&lang=en-us>

QUESTION 2

A PowerStore X system is being implemented using Dell EMC S5248F-ON Ethernet switching as data switches.

What is required when configuring the VLT interconnects on the data switches?

- A. Assign the switch default route for the VLT traffic
- B. Set the VLT connection to the switch default VLAN
- C. On each switch, select the switch management port MAC as the VLT MAC
- D. Configure the VLT MACs with a matching unique made-up address

Correct Answer: C

QUESTION 3

DRAG DROP

Match the correct Base Enclosure port in column A to the Expansion Enclosure port in column B to show the correct cabling for adding a single expansion enclosure to a base enclosure.

Select and Place:



Answer Area

Base Enclosure Port

Node A SAS Port B
Node B SAS Port B
Node A SAS Port A
Node B SAS Port A

Expansion Enclosure Port

LCC B Port A
LCC A Port B
LCC B Port B
LCC A Port A

Correct Answer:

Answer Area

Base Enclosure Port

Expansion Enclosure Port

Node B SAS Port B
Node B SAS Port A
Node A SAS Port A
Node A SAS Port B

Reference: <https://www.dell.com/support/manuals/en-pk/powerstore/pwrstr-isg/cable-the-base-enclosure-to-the-expansion-enclosure?guid=guid-d68d049f-2b77-489f-b1ab-553f4f3de8aa&lang=en-us>

QUESTION 4

Which type of network is used for storage migration between appliances?

- A. Inter-node network
- B. Intra-Cluster Management network
- C. Intra-Cluster Data network
- D. Storage network



Correct Answer: B

Reference: <https://www.dell.com/support/manuals/en-pk/powerstore/pwrstr-ntwk-plang/powerstore-t-model-appliance-networks?guid=guid-97a3e988-c1bc-4f51-a445-3af23f19da1&lang=en-us>

QUESTION 5

Which administrator tasks are needed to increase the size of a VMFS datastore without the use of the VSI plugin, mounted to an external ESXi host?

- A. Change the volume size in PowerStore Manager and refresh the size of the datastore in vSphere
- B. Change the volume size in PowerStore Manager and restart the VASA service in vSphere
- C. Change the size of the datastore in vSphere and refresh the size of the volume in PowerStore Manager
- D. Change the size of the datastore in vSphere and restart the VAAI service in PowerStore Manager

Correct Answer: C

Reference: <https://www.delltechnologies.com/en-us/collaterals/unauth/white-papers/products/storage/h18116-dell-emc-powerstore-vmware-vsphere-best-practices.pdf>

[DES-1221 VCE Dumps](#)

[DES-1221 Exam Questions](#)

[DES-1221 Braindumps](#)