



DES-1423^{Q&As}

Specialist Implementation Engineer Isilon Solutions Exam

Pass EMC DES-1423 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/des-1423.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by EMC
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

On which node does the SSIP initially reside?

- A. Highest node ID
- B. Lowest node ID
- C. Lowest logical node number
- D. Highest logical node number

Correct Answer: B

The SmartConnect Service IP (SSIP) will always reside on the lowest node (that is available) in the cluster (Node1 in most cases). This IP does not move between nodes until the lowest node number goes offline (planned/unplanned). Reference: <http://www.jasemccarty.com/blog/configuring-emc-isilon-smartconnect-part-i-smartconnect-basic/>

QUESTION 2

When reconciling permissions for clients using UNIX as well as Microsoft Windows systems, what describes the scope of the permissions?

- A. Windows ACLs and POSIX bits have overlapping semantics, but neither completely reflects the other.
- B. Windows ACLs have semantics that are a subset of POSIX bits.
- C. POSIX bits have semantics that are a subset of Windows ACLs, but Windows ACLs are more extensive.
- D. POSIX bits and Windows ACLs are semantically equivalent.

Correct Answer: B

QUESTION 3

An Isilon administrator is receiving "permission denied" while accessing a file on a cluster that an end-user created through an SMB share. The end-user is unable to access the share from their UNIX server. The end-user "mydomain.com \win_user1" as the login name to access the Microsoft Windows share and then used an LDAP account name of "ux_user1" to access the UNIX mount. The Isilon cluster is joined to the "mydomain.com" Active Directory domain. In addition, the cluster has an LDAP provider attached to it while the on-disk identity is set as "Native".

What is a possible cause for this permission issue?

- A. Usermapping rule is not present.
- B. RFC2307 is not configured on the Active Directory.
- C. On-disk identity is set as "Native".
- D. Fake UID generation in the cluster is disabled.



Correct Answer: B

QUESTION 4

An administrator wants to enable quotas on a group directory in their Isilon cluster. In addition, the administrator wants to monitor and limit the disk usage. Which type of quotas need to be configured?

- A. Advisory
- B. Enforcement
- C. Accounting
- D. Soft

Correct Answer: A

Reference: <https://www.dellemc.com/resources/en-us/asset/white-papers/products/storage/h10575-wp-quota-management-with-smartquotas.pdf>

QUESTION 5

Which deduplication phase is excluded from the Dry Run process?

- A. Commonality Detection
- B. Sharing
- C. Sampling
- D. Index Updating

Correct Answer: D

[Latest DES-1423 Dumps](#)

[DES-1423 Study Guide](#)

[DES-1423 Exam Questions](#)