



# DES-1423<sup>Q&As</sup>

Specialist Implementation Engineer Isilon Solutions Exam

**Pass EMC DES-1423 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/des-1423.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by EMC  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

When using NIC aggregation, which configuration is supported in an Isilon Gen 5 environment?

- A. ext-1 and ext-2 of node 1 aggregated together
- B. ext-1 and 10gige-1 of node 1 aggregated together
- C. 10gige-1 port of node 1 and 10gige-1 of node 2 aggregated together
- D. ext-1 port of node 1 and ext-1 port of node 2 aggregated together

Correct Answer: D

---

### QUESTION 2

You have been tasked with designing SyncIQ policies for a systems administrator that requires failover and failback testing. What information should be provided to the administrator?

- A. SyncIQ supports failback replication policies that specify directory includes or excludes.
- B. Failback replication policies that specify includes or excludes cannot use data encryption.
- C. Failback replication policies that specify includes or excludes are not supported with SyncIQ.
- D. Failback replication policies that specify includes or excludes cannot use historical snapshots.

Correct Answer: C

Reference: <https://mydocuments.emc.com/pub/en-us/isilon/onefs/7.2.1/ifs-pub-administration-guide-cli/15-ifs-br-data-replication-with-synciq.htm>

---

### QUESTION 3

What is the minimum storage space needed on a datastore to hold InsightIQ?

- A. 50 GB
- B. 65 GB
- C. 70 GB
- D. 85 GB

Correct Answer: C

Reference: <https://www.dellemc.com/da-dk/collaterals/unauth/technical-guides-support-information/products/storage/docu93641.pdf> (10)

---



#### QUESTION 4

On which node does the SSIP initially reside?

- A. Highest node ID
- B. Lowest node ID
- C. Lowest logical node number
- D. Highest logical node number

Correct Answer: B

The SmartConnect Service IP (SSIP) will always reside on the lowest node (that is available) in the cluster (Node1 in most cases). This IP does not move between nodes until the lowest node number goes offline (planned/unplanned). Reference: <http://www.jasemccarty.com/blog/configuring-emc-isilon-smartconnect-part-i-smartconnect-basic/>

---

#### QUESTION 5

```
boston-1# ls -le /ifs/boston/sales/media/NE.jpg
-rwxr-x--- + 1 DEES\john DEES\domain users 3584624 Jun 29 2011 /ifs/boston/sales/media/NE.jpg
OWNER:   user:DEES\john
GROUP:   group:DEES\domain users
CONTROL:dacl_auto_inherited
0:  user:DEES\john allow file_gen_all
1:  group:DEES\sales allow inherited file_gen_read, file_gen_execute,inherited_ace
2:  user:DEES\john allow inherited file_gen_all,inherited_ace
```

Which access information is represented in the exhibit?

- A. Real ACL is applied and group "DEES\domain users" has read access to the file
- B. Real ACL is applied and group "DEES\sales" has read access to the file
- C. Synthetic ACL is applied and group "DEES\sales" has read access to the file
- D. Synthetic ACL is applied and user "DEES\john" has read access to the file

Correct Answer: A

[Latest DES-1423 Dumps](#)

[DES-1423 PDF Dumps](#)

[DES-1423 Braindumps](#)