



# DES-1721<sup>Q&As</sup>

Specialist - Implementation Engineer-SC Series Exam

**Pass EMC DES-1721 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/des-1721.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by EMC  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

You just finished racking a SC7020 array. After powering it on, you notice there is no indicator LED on the front or back of the array, but the fans are spinning. What could be the cause?

- A. 220VAC is being used. The system is preventing a fire hazard
- B. Controllers are misplaced. Swap the position of the controllers
- C. 110VAC is being used on the power mains
- D. The SC is overheated; let it cool down

Correct Answer: C

---

### QUESTION 2

How much memory does the Dell Storage Manager (DSM) Virtual Appliance require to manage seven SC Series arrays?

- A. 2 GB
- B. 4 GB
- C. 8 GB
- D. 16 GB

Correct Answer: B

---

### QUESTION 3

What is the HDD size that enforces dual redundancy?

- A. 2 TB and higher
- B. Up to 3 TB
- C. 4 TB and higher
- D. 3 TB and higher

Correct Answer: A

Reference: <https://www.dell.com/storagehelp/dellstorageclient/2016R3.10/en-us/GUID-3941B3A0-0A0C-47D6-9BCC-55E0F9310868.html>

---

### QUESTION 4



How many SAS ports are used on each EMM of an SC460?

- A. 1
- B. 2
- C. 3
- D. 4


Correct Answer: D

Reference: <https://usermanual.wiki/Dell/storagesc460.900232340/help>

---

### QUESTION 5

Based on SAS back-end cabling best practices, which configuration represents how an SC4020 storage array with one SC220 expansion enclosure is cabled?





A. B. C. D.

Correct Answer: A

[DES-1721 PDF Dumps](#)

[DES-1721 Exam Questions](#)

[DES-1721 Braindumps](#)