



# DES-1721<sup>Q&As</sup>

Specialist - Implementation Engineer-SC Series Exam

**Pass EMC DES-1721 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/des-1721.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by EMC  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

You are installing a new FC switch to an existing fabric. You are receiving a Zone conflict error. Why?

- A. Fillword is not correct
- B. The link is down, check SFP and cable
- C. The number of ports is different
- D. New switch does not have unique domain ID

Correct Answer: C

---

### QUESTION 2

Which SC Series array feature allows all front-end ports to act as active data paths?

- A. Dual Fabric
- B. ALUA
- C. Virtual Port Mode
- D. Legacy Port Mode

Correct Answer: C

Reference: <https://www.dell.com/storagehelp/dellstorageclient/2016R3/en-us/GUID-2D6A2482-F78D-4598-ADA3-D9E49ED3ED7F.html>

---

### QUESTION 3

A customer is facing poor performance on all synchronously replicated volumes every Thursday between 4 PM and 6 PM. All departments have checked their applications for any batch jobs; however, nothing was found. The I/O graphs do

not show any anomaly and the replication links are not saturated.

What is the possible reason for this behavior?

- A. Switches used for replication are restarting
- B. QoS Bandwidth Limit is enabled in the QoS node
- C. Data Progression is consuming all disk performance
- D. Automatic report creation is impacting replication

Correct Answer: B

---



#### QUESTION 4

You need to set up the iDRAC IP address on an SC Series controller with the following details:

IP address 192.168.0.160 subnet mask 255.255.255.0 gateway 192.168.0.1

Which commands should be used to complete this task?

- A. `ifconfig inet set eth0 ip 192.168.0.160 ifconfig inet set eth0 netmask 255.255.255.0 ifconfig inet set eth0 gateway 192.168.0.1`
- B. `ifconfig inet set eth1 ip 192.168.0.160 ifconfig inet set eth1 netmask 255.255.255.0 ifconfig inet set eth1 gateway 192.168.0.1`
- C. `controller ipconfig set eth0 ip 192.168.0.160 controller ipconfig set eth0 netmask 255.255.255.0 controller ipconfig set eth0 gateway 192.168.0.1`
- D. `platform bmc set ip 192.168.0.160 platform bmc set netmask 255.255.255.0 platform bmc set gateway 192.168.0.1`

Correct Answer: D

---

#### QUESTION 5

You have connected a 12 GB expansion enclosure using Mini-SAS HD cables. When powered on, some of the cable do not show a link. Why?

- A. Inserted upside down
- B. Incorrect cable voltage
- C. Non powered cable
- D. Inserted sideways

Correct Answer: B

[Latest DES-1721 Dumps](#)

[DES-1721 Study Guide](#)

[DES-1721 Exam Questions](#)