



DES-1B21^{Q&As}

Specialist - Implementation Engineer, Elastic Cloud Storage

Pass EMC DES-1B21 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/des-1b21.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by EMC
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which command should be used to wipe the data disks to prepare an ECS rack for fabric, and HAL installation?

- A. format
- B. clean_disks
- C. sysdisk
- D. partition

Correct Answer: A

QUESTION 2

Which port needs to be opened between ECS and ESRS for registration of remote support?

- A. 21
- B. 3218
- C. 9020
- D. 9443

Correct Answer: D

QUESTION 3

A company wants its x64 Linux backup data sent directly to ECS. Which supported and most efficient configuration would you recommend for this environment?

- A. Use a CloudBoost appliance as a NetWorker storage node to receive x64 Linux NetWorker client data and send it to ECS.
- B. Use Client Direct with CloudBoost agent on the x64 Linux NetWorker client to transfer data to ECS.
- C. Use a NetWorker storage node to receive x64 Linux NetWorker client data and send it to ECS.
- D. Use Client Direct on the x64 Linux NetWorker client to send data to a CloudBoost appliance and then transfer it to ECS.

Correct Answer: B

Reference: <https://www.emc.com/collateral/TechnicalDocument/docu81525.pdf>

QUESTION 4



An organization wants to implement a federated ECS between two sites and use Dell EMC Isilon CloudPools functionality to archive data to ECS for long term retention. They are planning to implement ECS with network separation. What could be deployed optionally in this implementation?

- A. DNS entries
- B. Static routes configuration
- C. Static IP addresses for each of the ECS nodes
- D. Load balancer configuration

Correct Answer: A

QUESTION 5

For which type of bucket-level encryption is unsupported?

- A. Swift
- B. S3
- C. CAS
- D. HDFS

Correct Answer: C

[Latest DES-1B21 Dumps](#)

[DES-1B21 VCE Dumps](#)

[DES-1B21 Exam Questions](#)