



DES-3611^{Q&As}

Specialist - Technology Architect - Data Protection Exam

Pass EMC DES-3611 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/des-3611.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by EMC
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

You have been asked to perform an assessment of a customer's environment. The customer has given you complete access to their IT staff and environment.

During which stage of the assessment is it first learned about the databases, current backup software, and growth rates in the environment?

- A. Assumptions versus Reality
- B. Environmental Analysis
- C. Design Phase
- D. Interview Phase

Correct Answer: D

QUESTION 2

In a Dell EMC NetWorker environment, which component uses the largest amount of storage resources?

- A. Resource database
- B. Media database
- C. GST database
- D. Client File Index

Correct Answer: B

QUESTION 3

Which factor determines the size of the Journals needed for each Dell EMC RecoverPoint for VMs Consistency Group?

- A. If failover is required for each copy in the Consistency Group
- B. How far back in time Production can be recovered
- C. Size of each VMDK in the Consistency Group's Replication set
- D. If synchronous replication is being used

Correct Answer: C

QUESTION 4



A customer wants to ingest their backups to a Dell EMC Data Domain using Avamar at the maximum network throughput that the system supports.

What should be used to achieve this requirement?

- A. Data Domain VTL
- B. Data Domain Boost over FC
- C. Data Domain Dynamic Interface Groups
- D. Data Domain with LACP aggregation

Correct Answer: C

QUESTION 5

A customer wants a technology refresh of their Dell EMC NetWorker environment. They want the ability to backup to disk devices. In addition, they want to write all backup-to-disk devices with eight savesets simultaneously. After reviewing the current environment, you discover that only two drives are used.

Which setting should be changed so that all drives are used simultaneously?

- A. Max sessions
- B. Device parallelism
- C. Target sessions
- D. Client parallelism

Correct Answer: A

Reference: <https://www.emc.com/collateral/TechnicalDocument/docu47006.pdf>

[DES-3611 PDF Dumps](#)

[DES-3611 Study Guide](#)

[DES-3611 Braindumps](#)