DES-3611^{Q&As}

DES-3611^{Q&As}

Specialist - Technology Architect - Data Protection Exam

Pass EMC DES-3611 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.passapply.com/des-3611.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by EMC
Official Exam Center

Instant Download After Purchase

100% Money Back Guarantee

365 Days Free Update

800,000+ Satisfied Customers

QUESTION 1

Which factor determines the size of the Journals needed for each Dell EMC RecoverPoint for VMs Consistency Group?

A. It failover is required for each copy in the Consistency Group

B. How far back in time Production can be recovered

C. Size of each VMDK in the Consistency Group\'s Replication set

D. If synchronous replication is being used

Correct Answer: C

QUESTION 2

As a total data protection solution, which Dell EMC Integrated Data Protection Appliance model(s) use(s) a physical backup server?

A. DP5300 and DP8300

B. DP5800 and DP8300

C. DP8300 and DP8800

D. DP8800 only

Correct Answer: C

Reference: https://www.emc.com/collateral/data-sheet/h16033-integrated-data-protection-applianceds.pdf?isKoreaPage=falseanddomainUrlForCanonical=https%3A%2F%2Fwww.emc.coms

QUESTION 3

In order to use Dell EMC Data Domain with Data Protection Suite for Applications Storage Direct Backup, which service is required?

A. Retention Lock Service

B. Network File System Service

C. Boost File System Service

D. Block Storage Service

Correct Answer: A

Reference: https://www.dellemc.com/resources/en-us/asset/data-sheets/products/data-protection/h15286data-protection-suite-for-apps-ds.pdf

QUESTION 4

In a Dell EMC NetWorker environment, which component uses the largest amount of storage resources?

A. Resource database

B. Media database

C. GST database

D. Client File Index

Correct Answer: B

QUESTION 5

A customer wants to ingest their backups to a Dell EMC Data Domain using Avamar at the maximum network throughput that the system supports.

What should be used to achieve this requirement?

A. Data Domain VTL

B. Data Domain Boost over FC

C. Data Domain Dynamic Interface Groups

D. Data Domain with LACP aggregation

Correct Answer: C

DES-3611 PDF Dumps   DES-3611 Practice Test   DES-3611 Braindumps