



DES-4122^{Q&As}

Specialist - Implementation Engineer PowerEdge Version 2.0

Pass EMC DES-4122 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/des-4122.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by EMC
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

What is the drive characteristic of a BOSS M.2 drive in a Dell EMC PowerEdge server?

- A. Single-level cell
- B. Read Intensive
- C. Quad-level cell
- D. Write Intensive

Correct Answer: A

QUESTION 2

A technician needs to update the iDRAC license on a Dell EMC PowerEdge R740 server from Express to Enterprise. The server has the following components:

1.
2x CPUs
2.
384 GB RAM
3.
6x 1 TB drives
4.
1x PSU

The server is connected to active AC, but it is powered down, and it needs to stay powered down. No errors are presently displayed.

How can the technician upgrade the license?

- A. The license cannot be upgraded on a single PSU system
- B. Power on the server, then connect to the iDRAC and upgrade iDRAC license before powering down the server
- C. The license cannot be upgraded because the user will not allow the server to be powered on
- D. Connect to the iDRAC GUI and upgrade the iDRAC license while the server is powered down

Correct Answer: A

QUESTION 3



A Dell EMC PowerEdge server logs the following CPU Machine Check error CPU1 IERR What action might solve the problem?

- A. Remove flea power
- B. Update the Intel driver
- C. Reseat the IDSDM
- D. Swap the PERC controller

Correct Answer: B

QUESTION 4

A technician is creating a virtual disk in the iDRAC (2x 4 TB NL-SAS in RAID 1) to install Windows 2016 They manually boot to the OS installation media without using the Lifecycle Controller OS Deployment wizard Only the first 2048 GB on the virtual disk can be partitioned

How should the technician obtain access to the remaining 2 TB (approximately) of storage?

- A. Use the Lifecycle Controller OS Deployment Wizard to deploy the OS on this server
- B. Delete the 4 TB virtual disk and create a virtual (boot) disk no larger than 2048 GB
- C. Upgrade to a newer version of the operating system
- D. Use F2 to go into the BIOS, change the BIOS boot mode to UEFI, and try again

Correct Answer: C

QUESTION 5

A company that has very specific firmware requirements has acquired Dell EMC PowerEdge servers Any replaced parts of the type must match the original parts identically. The procedure must be as simple as possible with minimal risk.

What action should a technician take to help accomplish this goal?

- A. Configure servers to access the remote firmware repository
- B. Enable the Match Firmware of Replaced Part setting in the system BIOS
- C. Install and configure a repository manager
- D. Enable the Collect System Inventory On Restart (CSIOR) attribute

Correct Answer: A