



# DES-5221<sup>Q&As</sup>

Specialist Implementation Engineer Data Center Networking Exam

**Pass EMC DES-5221 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/des-5221.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by EMC  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

To which IEEE standard are dynamic LAGs compliant on Dell EMC Networking OS10 switches?

- A. 802.3af
- B. 802.3ad
- C. 802.3ac
- D. 802.3ae

Correct Answer: B

---

### QUESTION 2

What is the default PIM-SSM IP range?

- A. 224.0.0.0/4
- B. 224.0.0.0/24
- C. 232.0.0.0/8
- D. 232.0.0.0/4

Correct Answer: C

Reference: [https://www.dell.com/support/manuals/us/en/04/force10-z9500/z9500\\_9.9.0.0\\_cli\\_pub-v1/ip-pim-ssm-range?guid=guid-995ffbd6-412f-4b34-92d1-50bb254ae371&lang=en-us](https://www.dell.com/support/manuals/us/en/04/force10-z9500/z9500_9.9.0.0_cli_pub-v1/ip-pim-ssm-range?guid=guid-995ffbd6-412f-4b34-92d1-50bb254ae371&lang=en-us)

---

### QUESTION 3

Which commands are required to properly configure an OS10 switch to run OSPF on eth1/1/3 and to add network 144.254.1.0/30 to OSPF area 0?

- A. OS10(config)# interface ethernet 1/1/3 OS10(config-if-eth1/1/3)# no shutdown OS10(config-if-eth1/1/3)# no switchport OS10(config-if-eth1/1/3)# ip address 144.254.1.2/30 OS10(config-if-eth1/1/3)# ip ospf 1 area 0.0.0.0 OS10(config)# router ospf 1
- B. OS10(config)# router ospf 1 OS10(config-router-ospf-1)# router-id 1.1.1.1 OS10(config)# interface ethernet 1/1/3 OS10(config-if-eth1/1/3)# no shutdown OS10(config-if-eth1/1/3)# no switchport OS10(config-if-eth1/1/3)# ip ospf 1 area 0.0.0.0
- C. OS10(config)# interface ethernet 1/1/3 OS10(config-if-eth1/1/3)# no shutdown OS10(config-if-eth1/1/3)# ip address 144.254.1.2/30 OS10(config-if-eth1/1/3)# no switchport OS10(config-if-eth1/1/3)# ip ospf 1 area 0.0.0.0 OS10(config)# router ospf 1
- D. OS10(config)# interface ethernet 1/1/3 OS10(config-if-eth1/1/3)# no shutdown OS10(config-if-eth1/1/3)# ip address 144.254.1.2/30 OS10(config-if-eth1/1/3)# no switchport OS10(config-if-eth1/1/3)# ip ospf 1 area 0.0.0.0 OS10(config-if-eth1/1/3)# router ospf 1



Correct Answer: C

---

#### QUESTION 4

What type of network in a Data Center flattens the core and aggregation layers into a single tier?

- A. Leaf
- B. Leaf-spine
- C. Spine
- D. TRILL

Correct Answer: B

---

#### QUESTION 5

What is an advantage of UFD?

- A. Reduces connectivity loss.
- B. Detects the loss of downstream connectivity.
- C. Reduces network complexity.
- D. Prevents the loss of upstream connectivity.

Correct Answer: D

[Latest DES-5221 Dumps](#)

[DES-5221 Practice Test](#)

[DES-5221 Exam Questions](#)