DES-6321^{Q&As}

Specialist - Implementation Engineer - VxRail Appliance Exam

Pass EMC DES-6321 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.passapply.com/des-6321.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by EMC
Official Exam Center

QUESTION 1

A VxRail deployment has just been completed, and the performance service is enabled. The vSAN backend IOPS metrics are not available for the cluster. What is the reason for this issue?

A. Data has not been populated yet.

B. Health service has not been turned on

C. Monitoring policy has not been created

D. Performance service has not been disabled and re-enabled

Correct Answer: A

QUESTION 2

What accurately describes VxRail scale-out rules?

A. Only the first 3 cluster nodes must be identical

B. Mixing hybrid and all-flash nodes is permitted when scaling greater than 32nodes with an RPQ

C. All G series models in a cluster must be identical

D. Only the first 4 cluster nodes must be identical

Correct Answer: C

http://www.snsltd.co.uk/Presentations/Dell_EMC_VxRail_Overview.pptx

QUESTION 3

Which method can be used to reset a VxRail V Series node?

A. Rapid Appliance Self Recovery

B. Bootable ISO Image

C. Mobile Build Server

D. Reset Script

Correct Answer: D

QUESTION 4

The vCenter managing a VxRail cluster must be able to support both Enhanced Linked Mode and vSAN Encryption.

What is the correct configuration to satisfy this requirement?

A. External vCenter External PSC

B. Embedded vCenter Embedded PSC

C. External vCenter Embedded PSC

D. Embedded vCenter External PSC

Correct Answer: A

QUESTION 5

Which requirement is optional for a VxRail Stretched Cluster?

A. Enterprise Plus vSphere Licensing

B. External vCenter

C. IPv6 Multicast between locations

D. Cross-site layer-2 connectivity

Correct Answer: C