



DES-6322^{Q&As}

Specialist - Implementation Engineer-VxRail Exam

Pass EMC DES-6322 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/des-6322.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by EMC
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

What is validated by running the Proactive VM Creation test in vCenter on a VxRail cluster?

- A. vSAN operates successfully
- B. Network firewalls are configured correctly
- C. vSAN has sufficient storage capacity
- D. Network performance is sufficient

Correct Answer: D

Reference: <https://docs.vmware.com/en/VMware-vSphere/7.0/com.vmware.vsphere.vsan-monitoring.doc/GUID-B88B5900-33A4-4821-9659-59861EF70FB8.html>

QUESTION 2

DRAG DROP

What is the correct sequence of steps to perform a RASR Factory Reset using an SD card?

Select and Place:



Boot the node from the internal SD card

Step 1

Acknowledge the Warning and Caution messages, then type "Disconnected" to proceed

Step 2

Access iDRAC and launch virtual console to the VxRail node

Step 3

Quit the RASR menu and reboot the system

Step 4

Select F – Factory Reset in the RASR Menu

Step 5

Correct Answer:



Access iDRAC and
launch virtual console to
the VxRail node

Quit the RASR menu
and reboot the system

Acknowledge the Warning and
Caution messages, then type
"Disconnected" to proceed

Boot the node from the internal
SD card

Select F – Factory Reset
in the RASR Menu

QUESTION 3

Which VxRail model can only be installed with static rack rails?

- A. D Series
- B. P Series
- C. G Series
- D. S Series

Correct Answer: C

Reference: http://www.ourprivate.space/usr/uploads/2020/11/02/VxRail_Guide.pdf (p.124)

QUESTION 4

A VxRail 7.0.100 environment is managed by the internal vCenter Server. The customer asks the implementation engineer to deploy a new VxRail cluster using the existing vCenter Server.



What should the response of the engineer?

- A. Not supported for internal vCenter Server
- B. Not supported on VxRail software 7.0.100
- C. Supported by neither the internal vCenter Server nor external vCenter Server
- D. Only supported on VxRail software 4.7.xxx

Correct Answer: D

QUESTION 5

What is a consideration when performing a VxRail software upgrade from version 4.7.xxx to version 7.0.xxx?

- A. External vCenter server must be upgraded after the VxRail is upgraded
- B. vCenter Server requires a temporary IP address on a different subnet before the upgrade
- C. Secure boot must be enabled on the ESXi hosts for a successful upgrade
- D. VxRail Manager VM must be changed to the default name to avoid an upgrade failure

Correct Answer: A

[Latest DES-6322 Dumps](#)

[DES-6322 VCE Dumps](#)

[DES-6322 Study Guide](#)