



DES-6322^{Q&As}

Specialist - Implementation Engineer-VxRail Exam

Pass EMC DES-6322 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/des-6322.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by EMC
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Where can an administrator find steps to perform a manual verification of the customer network?

- A. Customer Simplified Form
- B. Dell EMC VxRail Network Planning Guide
- C. Pre-Engagement Questionnaire (PEQ)
- D. Dell Technologies SolVe Online

Correct Answer: D

QUESTION 2

A systems engineer needs to ensure that the VxRail system is healthy and any issues found are addressed prior to starting an upgrade process. Where in the vSphere Client can they review alarms and overall vSAN health?

- A. Triggered Alarms > Issues and Alarms > All issues Triggered Alarms > vSAN > Skyline Health
- B. Monitor > All Issues > Issues and Alarms Monitor > vSAN > Health
- C. Triggered Alarms > All Issues > Issues and Alarms Triggered Alarms > vSAN > Health
- D. Monitor > Issues and Alarms > All issues Monitor > vSAN > Skyline Health

Correct Answer: B

QUESTION 3

What setting is used for the object space reservation in the VXRAIL-SYSTEM-STORAGE-PROFILE?

- A. 50% Reservation
- B. Thick Provisioning
- C. 75% Reservation
- D. Thin Provisioning

Correct Answer: D

QUESTION 4

What is the basis used for VMware vSAN licensing?

- A. Per CPU socket



- B. TB capacity per cluster
- C. TB capacity per node
- D. Per disk group

Correct Answer: A

Reference: <https://www.vmware.com/content/dam/digitalmarketing/vmware/en/pdf/products/vsan/vmware-vsan-licensing-guide.pdf>

QUESTION 5

What guideline should be followed when planning bandwidth between sites hosting VM objects and the witness nodes?

- A. 1500 MTU on the VSAN vmkernel interface
- B. 5 ms with a recommended minimum bandwidth of 10Gbps
- C. 2 Mbps for every 1000 objects on the vSAN
- D. 500 ms roundtrip (

Correct Answer: C

Reference: <https://www.delltechnologies.com/asset/nl-be/products/converged-infrastructure/technical-support/h15275-vxrail-planning-guide-virtual-san-stretched-cluster.pdf> (p.10)

[DES-6322 VCE Dumps](#)

[DES-6322 Practice Test](#)

[DES-6322 Study Guide](#)