



# DES-6322<sup>Q&As</sup>

Specialist - Implementation Engineer-VxRail Exam

**Pass EMC DES-6322 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/des-6322.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by EMC  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





**QUESTION 1**


DRAG DROP

Once a VxRail cluster has been acquired, what is the correct sequence of steps to deploy it?

Select and Place:

Configure the cluster	Step 1
Conduct project kick-off meeting	Step 2
Validate customer readiness	Step 3
Gather and document customer configuration requirements	Step 4
Install VxRail hardware	Step 5

Correct Answer:



## QUESTION 2

What is the recommended format for host names when using the VxRail Deployment Wizard for an External vCenter solution?

- A. FQDN for vCenter Server Host name for VxRail Manager
- B. Host name for both vCenter Server and for VxRail Manager
- C. FQDN for both vCenter Server and for VxRail Manager
- D. Host name for vCenter Server FQDN for VxRail Manager

Correct Answer: A

Reference: <https://www.delltechnologies.com/asset/en-us/products/converged-infrastructure/technical-support/h15300-vxrail-network-guide.pdf>

## QUESTION 3

What is the correct CLI command to collect only the vCenter logs on VxRail Manager?

- A. `vc-support.sh -v`
- B. `generateFullBundle.py -v`



C. vc-support-bundle.sh -c

D. generateLogBundle.py -c

Correct Answer: D

Reference: <https://davidring.ie/2021/01/14/vxrail-7-0-useful-log-file-information/>

---

#### QUESTION 4

An implementation engineer is deploying a new VxRail cluster. What should they confirm before installing the hardware?

- A. Service laptop must be on the same IP network as the iDRACs
- B. At least 36 in (92 cm) clearance exists in front of and behind the cabinet
- C. Power distribution must support the power rating of a single node
- D. Single power zone must be used with adequate power cables

Correct Answer: C

---

#### QUESTION 5

Which series of VxRail nodes supports either Intel or AMD processors and either hybrid or All-Flash storage?

- A. G Series
- B. D Series
- C. E Series
- D. V Series

Correct Answer: A

[Latest DES-6322 Dumps](#)

[DES-6322 VCE Dumps](#)

[DES-6322 Brindumps](#)