



DES-DD23^{Q&As}

Implementation Engineer - PowerProtect DD

Pass EMC DES-DD23 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/des-dd23.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by EMC
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

What is a requirement to configure the PowerProtect DD tape out to cloud feature?

- A. Two cloud units
- B. Cloud Tier Capacity License
- C. Tape Out to Cloud License
- D. DDVE in the Cloud

Correct Answer: B

DD VTL supports storing the VTL vault on Cloud Tier storage. To use this functionality, the protection system must be a supported Cloud Tier configuration, and have a Cloud Tier license in addition to the VTL license. Reference: <https://www.delltechnologies.com/asset/en-us/products/data-protection/technical-support/docu95865.pdf>

QUESTION 2

When the PowerProtect DD system boots up for the first time, the CLI configuration wizard script does not start automatically.

Which command can be used to start the script manually?

- A. configure terminal
- B. config setup
- C. setup config
- D. config wizard

Correct Answer: B

Reference: <https://infohub.delltechnologies.com/l/deployment-guide-dell-emc-ready-solutions-for-oracle-with-xtremio-x2-and-data-domain-2/data-domain-backup-appliance-initial-system-setup-7>

QUESTION 3

A backup administrator has enabled the Retention Lock feature on their PowerProtect DD appliance. Over time, the administrator noticed an increase in file system utilization. Upon further investigation, the administrator discovered expired files are still present on the appliance.

What is the most likely reason for this issue?

- A. The time of the file was set below the minimum retention period
- B. Retention Lock feature was disabled before the expiration date
- C. File system cleaning was disabled



D. Backup application failed to delete the file after expiration

Correct Answer: D

QUESTION 4

DRAG DROP

What is the order of steps to configure DD Boost on a PowerProtect DD appliance?

Select and Place:

Enable DD Boost	STEP 1
Define a local user as the DD Boost User	STEP 2
Create storage units as needed	STEP 3
License DD Boost	STEP 4

Correct Answer:

	Enable DD Boost
	License DD Boost
	Create storage units as needed
	Define a local user as the DD Boost User

Reference: <https://www.delltechnologies.com/asset/en-us/products/storage/technical-support/s2403-dell-emc-powerprotect-dd-series-appliances-with-veritas-netbackup-configuration-guide.pdf>

QUESTION 5

An engineer is deploying two PowerProtect DD6900 systems in an HA pair. The installation includes ES40, DS60, and FS25 expansion shelves. What consideration should be made when cabling the hardware?

- A. The FS25 shelf must be fully populated
- B. The FS25 shelf should be cabled on a separate chain
- C. The DS60 shelf should be cabled on a separate chain



D. The DS60 shelf must be populated with identical drives

Correct Answer: D

[Latest DES-DD23 Dumps](#)

[DES-DD23 VCE Dumps](#)

[DES-DD23 Practice Test](#)