



DES-DD23^{Q&As}

Implementation Engineer - PowerProtect DD

Pass EMC DES-DD23 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/des-dd23.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by EMC
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

An administrator has retained snapshots for a single MTree and is trying to create a new one. An error message is received. What is the reason for the failure?

- A. The maximum number of snapshots has been exceeded
- B. The user does not have the permission to retain more snapshots
- C. There are not enough snapshot licenses
- D. The DDOS needs to be upgraded

Correct Answer: A

QUESTION 2

What are some possible network bottlenecks for a PowerProtect DD?

- A. Configuration, wire speeds, switches and routers
- B. Connectivity, routing protocols, and configuration
- C. Connectivity, firewalls, and routing protocols
- D. Routing protocols, switches and routers, and wire speeds

Correct Answer: B

QUESTION 3

DRAG DROP

What is the correct sequence of operations used by the PowerProtect DD DIA in the end-to-end verification process?

Select and Place:



Stores the fingerprints	STEP 1
Writes request from the backup software	STEP 2
Verifies that the checksum that is read back matches the checksum written to the disk	STEP 3
Verifies that DDOS can read data from the disk	STEP 4
Analyzes data for redundancy and stores new data segments	STEP 5

Correct Answer:

	Writes request from the backup software
	Analyzes data for redundancy and stores new data segments
	Stores the fingerprints
	Verifies that DDOS can read data from the disk
	Verifies that the checksum that is read back matches the checksum written to the disk

Reference: <https://www.dell.com/community/Data-Domain/Introducing-data-protection-technology-DIA-of-Data-Domain/td-p/6960086>

QUESTION 4

Which protocol is used for communications between a PowerProtect DD appliance and cloud tier to Dell EMC ECS?

- A. SSH
- B. SSL
- C. FTP
- D. HTTPS

Correct Answer: D

Reference: <https://www.dell.com/support/kbdoc/en-pk/000020178/data-domain-import-ssl-root-ca-cert-from-load-balancer-for-ecs-cloud-tier-and-best-practices>



QUESTION 5

What is a requirement to use the PowerProtect DD HA feature?

- A. Each head unit requires its own FS25 shelf
- B. Head units and nodes require an active/active configuration
- C. A single set of shared storage
- D. Dual set of shared storage configuration

Correct Answer: D

[DES-DD23 VCE Dumps](#)

[DES-DD23 Practice Test](#)

[DES-DD23 Study Guide](#)