



DES-DD33^{Q&As}

Specialist - Systems Administrator, PowerProtect DD

Pass EMC DES-DD33 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/des-dd33.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by EMC
Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers





QUESTION 1

An administrator monitors the performance statistics of a PowerProtect DD appliance. Low disk-write rates are shown, and the network inbound traffic is high. What is the most likely cause of this behavior?

- A. Expired segments
- B. Known segments
- C. Disk failure
- D. NVRAM failure

Correct Answer: B

QUESTION 2

What is a requirement to configure the PowerProtect DD tape out to cloud feature?

- A. Cloud Tier Capacity License
- B. Tape Out to Cloud License
- C. DDVE in the Cloud
- D. Two cloud units

Correct Answer: A

QUESTION 3

What is a characteristic of using replication with Dell EMC Cloud Tier?

- A. Always takes place between the source and destination cloud tier
- B. Cloud Tier is required to be configured on the source and destination systems
- C. Always takes place between the source and destination active tier
- D. Does not require that a file be recalled from the cloud on the source

Correct Answer: C



QUESTION 4

A backup administrator needs to implement BoostFS for Windows.

What do they need to install on the Windows server? (Choose all that apply.)

- A. CBFS
- B. CIFS
- C. NFS
- D. FUSE

Correct Answer: BC

Explanation:

For CIFS/NFS/DD BoostFS, the first consideration to address is what level of CIFS, NFS and DD BoostFS sharing is wanted for the DD series appliances.

Reference: <https://www.delltechnologies.com/asset/en-us/products/data-protection/technical-support/s-2416-dell-emc-powerprotect-dd-series-appliances-with-commvault-configuration-guide.pdf>

QUESTION 5

DRAG DROP

What are the steps to configure the Retention Lock Compliance?

Select and Place:

Create iDRAC users	STEP 1
Add one or more security officer users	STEP 2
Configure the system to use DD Retention Lock Compliance	STEP 3
Enable DD Retention Lock Compliance on the system	STEP 4
Enable the security officer authorization	STEP 5

Correct Answer:



Configure the system to use DD Retention Lock Compliance

Add one or more security officer users

Create IDRAC users

Enable the security officer authorization

Enable DD Retention Lock Compliance on the system

[Latest DES-DD33 Dumps](#)

[DES-DD33 VCE Dumps](#)

[DES-DD33 Practice Test](#)