



DES-DD33^{Q&As}

Specialist - Systems Administrator, PowerProtect DD

Pass EMC DES-DD33 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/des-dd33.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by EMC
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

How many hops should the fabric configuration be limited to when implementing the DD VTL?

- A. 1 hop
- B. 2 hops
- C. 3 hops
- D. 4 hops

Correct Answer: B

Explanation:

Maximum number of hops is two, that is, three DD systems. Directory-to-MTree migration supports backward compatibility up to two previous releases.

Reference: <https://www.delltechnologies.com/asset/en-us/products/data-protection/technical-support/docu97051.pdf>

QUESTION 2

What are some key benefits of performing backups and recoveries with a PowerProtect DD appliance?

- A. Increase in the overall size and scope Elimination of physical tape Fewer copies that need to be tracked Increased speed of disaster recovery
- B. Reduction in the overall size and scope Elimination of physical tape Number of copies that do not need to be tracked Increased speed of disaster recovery
- C. Reduction in the overall size and scope Elimination of physical tape Fewer copies that need to be tracked Increased speed of disaster recovery
- D. Increase in the overall size and scope Elimination of physical tape Number of copies that do not need to be tracked Increased speed of disaster recovery

Correct Answer: A

QUESTION 3

Following best practices for a PowerProtect DD NFS environment, what is the recommended value for rsize and wsize?

- A. 22768
- B. 30008
- C. 32768



D. 42768

Correct Answer: C

Reference: <https://docs.oracle.com/en/database/oracle/oracle-database/18/cwlin/configuring-nfs-buffer-size-parameters-for-oracle-database.html#GUID-5F14F816-445B-4EBB-BBA2-E9DFD7E5EF96>

QUESTION 4

A storage administrator finished the zoning between the PowerProtect DD and the NetWorker backup server. How can they verify that the zoning was completed properly and the server HBA are visible?

- A. scsitarget initiator show list
- B. scsitarget initiator list
- C. scsitarget show initiator
- D. scsitarget show initiator list

Correct Answer: A

QUESTION 5

A PowerProtect DD backup administrator wants to delegate some Operations to their Monitoring and Control team. The administrator wants to add a user to the Monitoring and Control team with limited access to only check the health of the PowerProtect DD appliance.

Which role must be applied to the new user?

- A. Backup Operator
- B. Limited Admin
- C. User
- D. Tenant Admin

Correct Answer: C

Explanation:

The User role provides read-only access to monitor activities and operations.

Reference: <https://www.delltechnologies.com/asset/en-us/products/data-protection/technical-support/docu95705.pdf>

[Latest DES-DD33 Dumps](#)

[DES-DD33 PDF Dumps](#)

[DES-DD33 Braindumps](#)