



DES-DD33^{Q&As}

Specialist - Systems Administrator, PowerProtect DD

Pass EMC DES-DD33 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/des-dd33.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by EMC
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which component of PowerProtect DD is Data Invulnerability Architecture a feature of?

- A. DDOS
- B. CIFS
- C. VTL
- D. DD Boost

Correct Answer: A

Explanation:

The Data Invulnerability Architecture is built into DDOS and DD series to provide the industry's best defense against data loss.

Reference: <https://www.delltechnologies.com/asset/en-in/products/data-protection/technical-support/h17926-dellemc-powerprotect-dd-ds.pdf>

QUESTION 2

Which NDMP device is supported on a PowerProtect DD appliance?

- A. NFS
- B. DD Boost
- C. CIFS
- D. VTL

Correct Answer: D

Explanation:

A system can present itself as a file server, offering NFS, CIFS access over Ethernet; as a virtual tape library (VTL) over Fibre Channel; as an NDMP tape server over Ethernet; or as a disk target using application specific interfaces like DD

Boost. DD VTL is qualified with leading open systems and IBMi enterprise backup applications.

Reference: <https://www.delltechnologies.com/asset/en-in/products/data-protection/technical-support/h17926-dellemc-powerprotect-dd-ds.pdf>

QUESTION 3

What is the maximum capacity that a cloud unit can have with DD9900?

- A. 64 TB



- B. 576 TB
- C. 1,536 TB
- D. 2,016 TB

Correct Answer: B

Reference: <https://nsrd.info/blog/2019/09/26/powerprotect-dd-unleash-the-beast/>

QUESTION 4

Where can daily information on system and MTree capacity be found?

- A. Autosupport report
- B. DDSM Health Overview
- C. Message log
- D. Support Bundle

Correct Answer: A

Reference: https://education.dellemc.com/content/dam/dell-emc/documents/en-us/2013KS_Silva-EMC_Data_Domain_Efficiency_Evaluation.pdf

QUESTION 5

How many hops should the fabric configuration be limited to when implementing the DD VTL?

- A. 1 hop
- B. 2 hops
- C. 3 hops
- D. 4 hops

Correct Answer: B

Explanation:

Maximum number of hops is two, that is, three DD systems. Directory-to-MTree migration supports backward compatibility up to two previous releases.

Reference: <https://www.delltechnologies.com/asset/en-us/products/data-protection/technical-support/docu97051.pdf>