E20-020^{Q&As}

Cloud Infrastructure Specialist Exam for Cloud Architects

Pass EMC E20-020 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.passapply.com/e20-020.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by EMC
Official Exam Center

⚙ **Instant Download** After Purchase

⚙ **100% Money Back** Guarantee

⚙ **365 Days** Free Update

⚙ **800,000+** Satisfied Customers

QUESTION 1

A cloud architect has included an SDS controller in a cloud design. Which requirement(s) will support the addition of this component to the design?

A. Monitor storage performance and manually provision storage resources

B. Provide the ability to programmatically deploy virtual storage resources

C. Switch array functionality from active/passive to active/active

D. Provide a redundant front-end for object storage

Correct Answer: B

QUESTION 2

An organization is developing a cloud-native social-media website. The website will be written using elastic principles. When the website scales, it can add additional web, application and database instances to meet dynamic workload demand.

Which additional resources will be consumed by replication as the database layer expands.

A. Public IP addresses, CPU, and memory

B. CPU, memory, and network traffic

C. Network traffic, public IP addresses, and CPU

D. Memory, network traffic, and public IP addresses

Correct Answer: B

QUESTION 3

What is an advantage of using a brownfield infrastructure?

A. Avoids upgrades to existing infrastructures

B. Promotes staff familiarity with technology

C. Enables migration to new technologies

D. Avoids older and less efficient processes

Correct Answer: B

QUESTION 4

When implementing QoS across a cloud network, how is storage traffic usually prioritized?

A. Most important

B. More important than tenant traffic but less important than management traffic

C. More important than management traffic but less important than tenant traffic

D. Least improtant

Correct Answer: C

QUESTION 5

A cloud design contains multiple hosts that are running a hypervisor. Each host has only two physical 10 Gb network adapters. The hosts reside in different subnets but can communicate with each other. Each host will support numerous virtual machines and network segments.

What is needed to support a network segmentation in the current configuration?

A. IDS

B. NVGRE

C. MLAG

D. VLAN

Correct Answer: B