



E20-307^{Q&As}

VMAX3 Solutions Specialist Exam for Implementation Engineers

Pass EMC E20-307 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/e20-307.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by EMC
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

On a VMAX3 array, what is the default Dynamic I/O distribution mode settings when a Storage Group is associated with Host I/O Limits?

- A. Never
- B. Balanced
- C. Always
- D. OnFailure

Correct Answer: A

Explanation: References:

QUESTION 2

SRDF/A has been enabled between two VMAX3 arrays. Due to a loss of all RDF links, the SRDF/A session has been placed in a Transmit Idle state. What happens to cycle switching and the delta sets?

- A. Cycle switching continues; Capture Delta set count grows
- B. Cycle switching stops; Capture Delta set grows
- C. Cycle switching stops; Transmit Delta set grows
- D. Cycle switching continues; Transmit Delta set count grows

Correct Answer: D

QUESTION 3

A Unisphere for VMAX administrator is creating a new user. The new user needs the ability to provision storage from the VMAX3 array. However, the administrator does not want the user to create or delete other users. Which role should be assigned to this user?

- A. StorageAdmin
- B. Administrator
- C. SecurityAdmin
- D. PerfMonitor

Correct Answer: A

Reference

https://learningcontent.emc.com/gatekeepercontent/cninv00000000124493/presentation_



content/external_files/Unisphere%20for%20VMAX%20IM%208.3_srg.pdf (p.56)

QUESTION 4

DRAG DROP

What is the correct sequence of actions performed by a VMAX3 when the SRDF failback command is executed?

Select and Place:

Read/Write enable the R1 devices	STEP 1
Merge the device track tables	STEP 2
Suspend the RDF links	STEP 3
Write disable the R2 devices	STEP 4
Resume the RDF links	STEP 5

Correct Answer:

	Write disable the R2 devices
	Suspend the RDF links
	Merge the device track tables
	Resume the RDF links
	Read/Write enable the R1 devices

QUESTION 5



Which type of RDF devices are used in Cascaded SRDF environments?

- A. R11
- B. R12
- C. R21
- D. R22

Correct Answer: C

Reference <https://storageengineer.blogspot.com/2013/06/srdf-devices.html>

[E20-307 PDF Dumps](#)

[E20-307 Practice Test](#)

[E20-307 Brindumps](#)