E20-307^{Q&As}

VMAX3 Solutions Specialist Exam for Implementation Engineers

Pass EMC E20-307 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.passapply.com/e20-307.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by EMC Official Exam Center

QUESTION 1

Which symrdf flag and operation allows new devices to be added to an active SRDF/A session without suspending the session?

A. establish with the movepair operation

B. cons_exempt with the modifygrp operation

C. cons_exempt with the movepair operation

D. establish with the resume operation

Correct Answer: C

Reference https://community.emc.com/thread/88873?start=0andtstart=0

QUESTION 2

DRAG DROP

What is the correct sequence of steps to obtain VMAX licenses and ensure the VMAX is configured to allow these features to work properly?

Select and Place:

Entitled user loads the license file to the VMAX and verifes that all licenses were successfully activated.	STEP 1
Order the software licenses for the required features.	STEP 2
Customer retrieves the License Authorization Code and downloads the license file from EMC.	STEP 3
EMC generates the single license file for the VMAX and makes available for download.	STEP 4
EMC sends a License Authorization Code to the customer with instructions on how to download the single license file.	STEP 5

Correct Answer:

	Order the software licenses for the required features.
	EMC generates the single license file for the VMAX and makes available for download.
	EMC sends a License Authorization Code to the customer with instructions on how to download the single license file.
	Customer retrieves the License Authorization Code and downloads the license file from EMC.
	Entitled user loads the license file to the VMAX and verifes that all licenses were successfully activated.

Reference https://www.emc.com/collateral/TechnicalDocument/docu78907.pdf (page 122)

QUESTION 3

```
        Source (R1) View                    Target (R2) View      MODE
---------------------------------   ------------------------  ----  --------
                ST              LI              ST
Standard        A               N               A
Logical   Sym   T  R1 Inv R2 Inv K   Sym   T  R1 Inv R2 Inv           RDF Pair
Device    Dev   E  Tracks Tracks  S   Dev   E  Tracks Tracks  MACE    STATE
---------------------------------   ------------------------  ----  --------

DEV001  000S9      (1)    (2)      00087   (3)    (4)      S...
DEV002  000SA                      00088                   S...
```

Both the R1 and R2 devices are being accessed after an SRDF Split operation. Where will the changes made to these devices be reflected in the SRDF Query output shown in the exhibit?

A. 1 and 3

B. 1 and 4

C. 2 and 3

D. 2 and 4

Correct Answer: C

QUESTION 4

Which command enables SRDF/A single session consistency protection?

A. symrdf enable consistency

B. symrdf set mode async

C. symcg enable

D. symrdf enable

Correct Answer: C

QUESTION 5

What is the basis for the allocation of new extends from a Storage Resource Pool (SRP) in a VMAX3 array?

A. Data Pool RAID types and SRP capacity

B. Data Pool Ranking and Service Level

C. Data Pool RAID types and default Service Level

D. Data Pool Ranking and SRP capacity

Correct Answer: B

[E20-307 PDF Dumps](link)   [E20-307 VCE Dumps](link)   [E20-307 Braindumps](link)