



E20-307^{Q&As}

VMAX3 Solutions Specialist Exam for Implementation Engineers

Pass EMC E20-307 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/e20-307.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by EMC
Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers





QUESTION 1

On a VMAX3 array, what is the default Dynamic I/O distribution mode settings when a Storage Group is associated with Host I/O Limits?

- A. Never
- B. Balanced
- C. Always
- D. OnFailure

Correct Answer: A

Explanation: References:

QUESTION 2

On a VMAX3 array, a TDEV is provisioned to a host using a Storage Group that has no Service Level defined. How will the TDEV be handled by FAST?

- A. Bronze Service Level will be applied to the TDEV
- B. Optimized Service Level will be applied to the TDEV
- C. FAST will not manage the TDEV
- D. Highest available Service Level will be applied to the TDEV

Correct Answer: B

QUESTION 3

Data is written on a source track and the original data needs to be preserved for a snapshot. Which technology does TimeFinder SnapVX use to prevent a new from being demoted to a lower tier?

- A. NoCopy mode
- B. Copy mode
- C. Redirect-on-write
- D. Copy-on-write

Correct Answer: C

Reference

<https://www.google.com/url?sa=t&drct=j&andq=and&src=sand&source=web&andcd=1&andcad=rja&andduact=8&andved=0ahUKEwjtwPmqw4jVAhVDNI8KHWAAdCc8QFggnMAA&andurl=https%3A%2F%2Flearnin>



gcontent.emc.com%2Fgatekeepercontent%

2Fcniinv000000000126123%2Fpresentation_co
ntent%2Fexternal_files%2FVMAX%2520All%2520Flash%2520and%2520VMAX3%2520Lo
cal%2520Replication%2520Fundamentals_srg.pdfandusg=AFQjCNHdxEn- dqgkk5OCnYFBnPj6V-ylA

(page 18)

QUESTION 4

Where is data compression enabled on a VMAX All Flash array?

- A. Storage Group
- B. Data Pool
- C. Thin devices
- D. Disk Group

Correct Answer: A

Reference <https://www.emc.com/collateral/white-papers/h15393-vmax-all-flash-adaptive-compression-engine.pdf> (Page 4)

QUESTION 5

A storage administrator currently has three snapshots with generation numbers 0,1 and 2. After adding a TimeFinder SnapVX snapshot, what is the generation number of the new snapshot?

- A. 0
- B. 1
- C. 2
- D. 3

Correct Answer: A

Reference <https://www.emc.com/collateral/technical-documentation/h13697-emc-vmax3-local-replication.pdf> (page 7)

[Latest E20-307 Dumps](#)

[E20-307 PDF Dumps](#)

[E20-307 Practice Test](#)