



# E20-507<sup>Q&As</sup>

VMAX3 Solutions Specialist Exam for Storage Administrators

## Pass EMC E20-507 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/e20-507.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by EMC  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





#### QUESTION 1

Which Service Level is available on a VMAX All Flash array?

- A. Diamond
- B. Gold
- C. Platinum
- D. Silver

Correct Answer: A

Reference <https://www.emc.com/collateral/white-papers/h14920-intro-to-vmax-af-storage.pdf> (P.13)

---

#### QUESTION 2

What is the function of the Embedded Management (eManagement) container application?

- A. Enables management of all arrays discovered in the SAN without requiring software installed on a separate host
- B. Enables management of a VMAX3 array without requiring software installed on a separate host
- C. Enables management of eNAS containers
- D. Enables management of the Tools containers

Correct Answer: B

---

#### QUESTION 3

On a VMAX3 array, a TDEV is provisioned to a host using a Storage Group that has no SLO defined. How will the TDEV be handled by FAST?

- A. Optimized SLO will be applied to the TDEV
- B. FAST will not manage the TDEV
- C. TDEV will be pinned to the middle tier
- D. TDEV will be Not Ready

Correct Answer: A

---

#### QUESTION 4

Storage has been provisioned from a VMAX3 using a Masking View with a single Storage Group associated with the Bronze SLO. How can new storage be provisioned to this host using the Gold SLO while maintaining the original



volumes in the Bronze SLO?

- A. Convert the existing Storage Group to cascaded, create a new child Storage Group for the new devices, and apply the Gold SLO.
- B. Apply the Gold SLO directly to the new volumes.
- C. Add a cascaded Storage Group to the original Storage Group and apply the Gold SLO.
- D. A new Masking View and Storage Group is required for the devices managed by the Gold SLO.

Correct Answer: A

---

#### QUESTION 5

Which SYMCLI command(s) can be used to set/modify SLO and Workload Type?

- A. symmsg only
- B. symconfigure and symaccess
- C. symaccess only
- D. symaccess and symmsg

Correct Answer: A

[E20-507 PDF Dumps](#)

[E20-507 VCE Dumps](#)

[E20-507 Braindumps](#)