



E20-655^{Q&As}

Isilon Specialist Exam for Platform Engineers





Pass EMC E20-655 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/e20-655.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by EMC
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

What procedure requires a field service engagement with OneFS 7.0.2?

- A. Drive firmware update
- B. Node firmware update
- C. Upgrade to OneFS 7.1.0
- D. All simultaneous upgrades

Correct Answer: B

QUESTION 2

What is an important consideration when upgrading a cluster from OneFS 6.5.x.x to OneFS 7.0.x.x?

- A. The node model must be supported.
- B. SmartConnect may need to be reconfigured.
- C. SnapshotIQ must be reconfigured.
- D. SmartQuotas may need to be reset.

Correct Answer: A

QUESTION 3

Which statement best describes an advantage of the link aggregation control protocol (LACP)?

- A. Balances outgoing traffic across the active ports and accepts traffic from any active port
- B. Next active port in link becomes new master port if original master port becomes unavailable
- C. The only aggregation method that can increase single stream performance
- D. Does per packet load balancing across aggregated links

Correct Answer: A

QUESTION 4

What are SNMP traps?

- A. Messages reporting a condition, sent from the SNMP agent to the SNMP manager
- B. Messages requesting reports, sent from the SNMP manager to the SNMP agent



- C. Messages generated by the SNMP manager when it can no longer contact the SNMP agent
- D. Messages generated by the SNMP agent when it can no longer contact the SNMP manager

Correct Answer: A

QUESTION 5

Which characteristic is present in dynamic pool configuration?

- A. Best for NFSv2 and NFSv3 clients
- B. Best for SMB and NFSv4 clients
- C. IP addresses do not failover if node is lost
- D. Only allocates a single IP address per NIC

Correct Answer: A

[Latest E20-655 Dumps](#)

[E20-655 VCE Dumps](#)

[E20-655 Braindumps](#)