E20-807^{Q&As}

Expert - VMAX All Flash and VMAX3 Exam

Pass EMC E20-807 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.passapply.com/e20-807.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by EMC
Official Exam Center

⚙ **Instant Download** After Purchase

⚙ **100% Money Back** Guarantee

⚙ **365 Days** Free Update

⚙ **800,000+** Satisfied Customers

QUESTION 1

A company is using SRDF/AR Multi-Hop as a disaster recovery solution. Their primary application requires 27.3 TB on their primary site. How much storage capacity is required on the third site?

A. Only 27.3 TB

B. 27.3 to 54.6 TB

C. Only 54.6 TB

D. Greater than 54.6 TB

Correct Answer: C

QUESTION 2

On a VMAX3 array, for which type of workload does FlashBoost help in optimizing performance?

A. Sequential Reads

B. Sequential Writes

C. Random Writes

D. Random Reads

Correct Answer: D

QUESTION 3

Alerts are required to track high I/O response times for a specific storage group. I/O response times greater than 15 ms require next day analysis. I/O response times greater than 20 ms require immediate intervention.

Which alert settings are required?

A. 1st level

Correct Answer: A

QUESTION 4

What is the best practice for FA utilization in a VMAX3 array?

A. 50% busy with two engines

B. 50% busy with more than two engines

C. 50% busy with one engine

D. 50% busy with two or more engines

Correct Answer: A

QUESTION 5

A server is hosting an online application and is experiencing performance issues. Which component of the architectural layer has the lowest probability of impacting performance?

A. Operating System

B. Server

C. Application

D. Disk

Correct Answer: A

[E20-807 PDF Dumps](#)   [E20-807 VCE Dumps](#)   [E20-807 Braindumps](#)