



# E22-258<sup>Q&As</sup>

XtremIO 3.x Flash Storage Solutions

## Pass EMC E22-258 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/e22-258.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by EMC  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





### QUESTION 1

Which parameter can be changed to improve performance on an XtremIO array?

- A. HBA execution throttle
- B. RAID level
- C. Cache size
- D. Target port affinity

Correct Answer: A

---

### QUESTION 2

An implementation specialist wants to enable encryption on their XtremIO storage system. Which menu item will allow the administrator to configure this feature?

- A. Administration
- B. Hardware
- C. Configuration
- D. Dashboard

Correct Answer: A

---

### QUESTION 3

What user login name should be used to launch the XMCLI shell?

- A. xmsadmin
- B. xmsupload
- C. admin
- D. tech

Correct Answer: A

---

### QUESTION 4

Why does XtremIO thin provisioning cause no performance degradation?

- A. All metadata is kept in Storage Controller RAM



- B. All metadata is kept in Storage Controller SSDs
- C. SSDs perform metadata reads at sub-millisecond latency
- D. SSDs perform metadata writes at sub-millisecond latency

Correct Answer: A

---

#### QUESTION 5

When deploying a virtual XtremIO Management Server (XMS) 3.0.0, what is the minimum size requirement (in GB) for configuring a datastore on a VM?

- A. 20
- B. 30
- C. 40
- D. 80

Correct Answer: D

[E22-258 PDF Dumps](#)

[E22-258 VCE Dumps](#)

[E22-258 Study Guide](#)