



E22-285^{Q&As}

VxRail Appliance 4.x Deployment and Implementation Exam

Pass EMC E22-285 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/e22-285.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by EMC
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

A company has a simple, 4 node VxRail cluster. The VxRail is running version 3.5 and utilizes a vSphere standard license. The company has asked for a VxRail software upgrade.

What are the steps for the upgrade?

- A. Log in to VxRail Manager, select "Internet Upgrade", then follow the prompts.
- B. Log in to support.emc.com and download the upgrade packages. Next, open VxRail Manager, select "Off-line Upgrade", then follow the prompts.
- C. Place all four nodes into maintenance mode. Next, log in to VxRail Manager, select "Internet Upgrade", then follow the prompts.
- D. Contact Dell EMC support to request the upgrade to the VxRail cluster.

Correct Answer: B

QUESTION 2

Which VxRail Manager tab is used to set up the EMC Online Support Account and ESRS?

- A. HEALTH
- B. SUPPORT
- C. DASHBOARD
- D. CONFIG

Correct Answer: B

QUESTION 3

Which network traffic types require the specification of a VLAN ID in the VxRail Pre- Installation Site Checklist?

- A. Fault Tolerance, vMotion, vSAN, and user VM Network
- B. Management, vMotion, and vSAN only
- C. Management, vMotion, vSAN, and user VM Network
- D. vMotion, vSAN, and user VM Network only

Correct Answer: B

QUESTION 4



An ESRS deployment on a VxRail system with external vCenter fails with "Invalid target datastore specified".

What is required to resolve this problem?

- A. Open a Service Request to involve support
- B. Retry deployment through the retry button
- C. Manually deploy ESRS
- D. Restart vCenter services and retry the deployment

Correct Answer: D

QUESTION 5

What is the recommended way to power up VxRail E, V, P, and S Series nodes?

- A. Ensure the System Health indicator blinks amber for 10 minutes after power on
- B. Use the power button on the rear panel to power on each node
- C. Wait at least 30 seconds between powering up each node
- D. Use the iDRAC interface to power on each node

Correct Answer: A

[Latest E22-285 Dumps](#)

[E22-285 VCE Dumps](#)

[E22-285 Exam Questions](#)