



E22-285^{Q&As}

VxRail Appliance 4.x Deployment and Implementation Exam

Pass EMC E22-285 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/e22-285.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by EMC
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

What accurately describes VxRail scale-out rules?

- A. Only the first 3 cluster nodes must be identical
- B. Mixing hybrid and all-flash nodes is permitted when scaling greater than 32 nodes with an RPQ
- C. All G series models in a cluster must be identical
- D. Only the first 4 cluster nodes must be identical

Correct Answer: C

QUESTION 2

A company has chosen to deploy an external vCenter/PSC. They would like to use the bundled vCenter license that comes with VxRail.

What is the correct procedure to do this?

- A. Contact EMC Licensing to have a replacement vCenter license generated. Next, license the newly created vCenter. Last, deploy VxRail with external vCenter.
- B. Contact VMware Licensing to have a replacement vCenter license generated. Next, license the newly created vCenter. Last, deploy VxRail with external vCenter.
- C. Log into VxRail Manager through SSH and extract the vCenter license key from the application properties file. Next, license the newly created vCenter. Last, deploy VxRail with external vCenter.
- D. Bundled vCenter license is only valid when vCenter is internally deployed. The company must provide their own vCenter license.

Correct Answer: D

QUESTION 3

What is the Dell EMC product that is purpose-built for departmental and edge applications, as well as small enterprise and mid-market data centers?

- A. Vscale Architecture
- B. VxRail
- C. VxRack
- D. Vblock/VxBlock

Correct Answer: B



QUESTION 4

What is the recommended way to power up VxRail G Series node?

- A. Wait at least 30 seconds between powering up each node.
- B. Power up nodes in the following sequence: one, two, three, four.
- C. Use the BMC interface to power cycle each node
- D. Ensure System Health indicator blinks amber for 10 minutes after power on.

Correct Answer: B

QUESTION 5

Which integrated backup solution is included with VxRail at no additional cost?

- A. Dell EMC Data Protection Suite
- B. VMware vSphere Data Protection
- C. VMware VM Snapshots
- D. Dell EMC NetWorker

Correct Answer: B

[E22-285 PDF Dumps](#)

[E22-285 Exam Questions](#)

[E22-285 Braindumps](#)