

ECP-383^{Q&As}

Ericsson Certified Associate - Radio Network Optimization

Pass Ericsson ECP-383 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.passapply.com/ecp-383.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Ericsson
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



https://www.passapply.com/ecp-383.html

2024 Latest passapply ECP-383 PDF and VCE dumps Download

QUESTION 1

Why is synchronized operation used in LTE TDD base stations?

- A. to allow downlink MIMO to be used
- B. to allow handovers to LTE FDD carriers
- C. to achieve good RACH timing accuracy
- D. to reduce interference between uplink and downlink

Correct Answer: D

QUESTION 2

You are using the Performance Measurements system for Ericsson WCDMA network analysis and must use predefined counters.

On which two levels would these counters be collected? (Choose two.)

- A. the cell level
- B. the TRX level
- C. the RNC level
- D. the BSC level

Correct Answer: AC

QUESTION 3

What is an advantage of using flexible numerology in New Radio (NR) 5G?

- A. It allows an alphanumeric mapping between physical data channels on coslted LTE and NR in non-standalone scenarios.
- B. It provides a non defined link between subcarriers used in LTE and NR.
- C. It ensures that the same subcarrier bandwidth is used in NR in both high and low frequencies.
- D. It maintains a more consistent overhead over a very large range of carrier frequencies.

Correct Answer: A

QUESTION 4

A user is making a call on an LTE network.



https://www.passapply.com/ecp-383.html

2024 Latest passapply ECP-383 PDF and VCE dumps Download

In this scenario, which encoding schemes are used?

- A. OFDMA in downlink, COMA in uplink
- B. CDMA in downlink, SC-FOMA in uplink
- C. SC-FDMA in downlink, OFDMA in uplink
- D. OFDMA in downlink, SC-FDMA in uplink

Correct Answer: D

QUESTION 5

Which identifier is used for locating a UE in a standalone LTE network?

- A. RAC
- B. TAC
- C. LAC
- D. URAC

Correct Answer: B

<u>Latest ECP-383 Dumps</u> <u>ECP-383 Exam Questions</u> <u>ECP-383 Braindumps</u>