



VCE & PDF

PassApply.com

<https://www.passapply.com/einstein-analytics-and-discovery-consultant.htm>  
2024 Latest passapply EINSTEIN-ANALYTICS-AND-DISCOVERY-CONSULTANT PDF and VCE dumps Download

---

# EINSTEIN-ANALYTICS-AND-DISCOVERY-CONSULTANT<sup>Q&As</sup>

Salesforce Certified Einstein Analytics and Discovery

**Pass Salesforce EINSTEIN-ANALYTICS-AND-DISCOVERY-CONSULTANT Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/einstein-analytics-and-discovery-consultant.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Salesforce Official Exam Center







VCE & PDF

PassApply.com

<https://www.passapply.com/einstein-analytics-and-discovery-consultant.htm>  
2024 Latest passapply EINSTEIN-ANALYTICS-AND-DISCOVERY-CONSULTANT PDF and VCE dumps Download

---

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

An Einstein consultant created a dashboard that went through review. Some few charts were added and removed in the process. The dashboard is now approved for production.

Which best practice should be done before releasing the dashboard?

- A. Modify the XMD so all labels and values are user-friendly.
- B. Rename all the steps to correspond with the defined naming convention.
- C. Remove the redundant steps to ensure dashboard performance.
- D. Apply conditional formatting on the new charts.

Correct Answer: C

[https://help.salesforce.com/articleView?id=bi\\_dashboards\\_inspector.htm&type=5](https://help.salesforce.com/articleView?id=bi_dashboards_inspector.htm&type=5)

---

### QUESTION 2

A company wants to build a webpage that displays KPIs that can be derived from values in datasets stored in Einstein Analytics. How can an Einstein Analytics consultant derive those KPIs from those datasets?

- A. Use the Analytics External Data API and leverage the "query" resource.
- B. Export the dataset as an XLS file and use the Einstein Analytics Connector for Excel.
- C. Use the Analytics REST API and leverage the "-query" resource.
- D. Export the dataset as a CSV file and load it to an external database.

Correct Answer: A

---

### QUESTION 3

The Universal Containers Einstein Analytics team built a dashboard with two widgets:

1.  
List widget associated to the step "Type\_2" and grouped by the dimension "Type" (multi-selection)
2.  
Pie chart widget associated to the step "Step\_pie\_3" and grouped by the dimension "Type" The team wants to use bindings so any selection in the List widget will filter the Pie chart. Additional notes:

\*

The steps use different datasets.



\*

Users should be able to choose more than one Type (multi-selection). What is the right syntax for the binding?

A.

Option A

B.

Option B

C.

Option C

D.

Option D

Correct Answer: C



- A. 

```
"filter": [
  [
    "Type",
    "{{column(Type_2.selection, [\"Type\"]).asString()}}"
  ]
]
```
- B. 

```
"filter": [
  [
    "Type",
    "{{cell(Type_2.selection, 0, \"Type\").asString()}}"
  ]
]
```
- C. 

```
"filter": [
  [
    "Type",
    "{{column(Type_2.selection, [\"Type\"]).asObject()}}"
  ]
]
```
- D. 

```
"filter": [
  [
    "Type",
    "{{cell(Type_2.selection, 0, \"Type\").asObject()}}"
  ]
]
```

#### QUESTION 4

Default rows in values table

- A. 100
- B. 200
- C. 50
- D. 75



Correct Answer: A

---

#### QUESTION 5

A company created a dataset called myExternalDataset. It contains a dimension, called UserRegion, that is populated by the standard User object's picklist: Region.

The company has security requirements for this dataset:

1.

Only a subset of users should be able to access the dataset.

2.

Users who can access the dataset should see only data that belongs to their region.

In which two ways can an Einstein Analytics consultant help them implement these requirements? Choose 2 answers

- A. Save the dataset under "My Private App" so only a subset of selected users can access the dataset.
- B. Use a security predicate in the dataset so users can see only rows belonging to their respective regions.
- C. Create a sharing rule in Salesforce based on the Region field in the user object and set the dataset to inherit sharing from Salesforce.
- D. Save the dataset under a new application and give "viewer" access to a public group containing the list of users allowed to see the dataset.

Correct Answer: BD

[Latest EINSTEIN-ANALYTICS-AND-DISCOVERY-CONSULTANT Dumps](#)

[EINSTEIN-ANALYTICS-AND-DISCOVERY-CONSULTANT Study Guide](#)

[EINSTEIN-ANALYTICS-AND-DISCOVERY-CONSULTANT Exam Questions](#)