



EX294^{Q&As}

Red Hat Certified Engineer (RHCE) exam for Red Hat Enterprise Linux
8 Exam

Pass RedHat EX294 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/ex294.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by RedHat
Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers





QUESTION 1

Rekey an existing Ansible vault as follows:

*

Download Ansible vault from `http://classroom.example.com/secret.yml` to `/home/`

`admin/ansible/`

*

The current vault password is `curabete`

*

The new vault password is `newvare`

*

The vault remains in an encrypted state with the new password

A.

Answer: See the for complete Solution below.

Correct Answer: A

Solution as: `# pwd /home/admin/ansible/ # wget http://classroom.example.com/secret.yml # chmod 0600 newpassword.txt # ansible-vault rekey vault.yml --new-vault-password-file=newpassword.txt`

QUESTION 2

SIMULATION

Configure the samba server, share `/common`, which can be browsed. The user `harry` can only read it. If it is needed, the password for `harry` is `harryuser`.

A.

Correct Answer: Please see explanation

QUESTION 3

Give Full Permission to owner user and owner group member but no permission to others on `/data`.

A. Answer: See the for complete Solution below.

Correct Answer: A

We can change the permission of file/directory either character symbol method or numeric method. Permission: `r-Read`



w-Write x-Execute Permission Category u- Owner User g- Owner Group o- Others Operators + -> Add the Permissions - ->Remove the Permissions = ->Assign the Permissions Numeric Method: 4 -> Read 2 -> Write 1 -> Execute Total: 7, total for owner user, owner group member and for others: 777

1.

chmod u+rwX /data

2.

chmod g+rwX /data

3.

chmod o-rwX /data or chmod 770 /data

4.

Verify the /data: ls -ld /data 5 .You will get drwxrwx--

QUESTION 4

SIMULATION

Give Full Permission to owner user and owner group member but no permission to others on /data.

A.

Correct Answer: Please see explanation

QUESTION 5

Create a jinja template in /home/sandy/ansible/ and name it hosts.j2. Edit this file so it looks like the one below. The order of the nodes doesn't matter. Then create a playbook in /home/sandy/ansible called hosts.yml and install the template on dev node at /root/myhosts

```
127.0.0.1 localhost localhost.localdomain localhost4 localhost4.localdomain4
::1      localhost localhost.localdomain localhost6 localhost6.localdomain6

10.0.2.1    node1.example.com    node1
10.0.2.2    node2.example.com    node2
10.0.2.3    node3.example.com    node3
10.0.2.4    node4.example.com    node4
10.0.2.5    node5.example.com    node5
```

A. Answer: See the for complete Solution below.



Correct Answer: A

Solution as:

```
in /home/sandy/ansible/hosts.j2
```

```
{%for host in groups['all']%}  
{{hostvars[host]['ansible_default_ipv4']['address']}} {{hostvars[host]['ansible_fqdn']}}  
{{hostvars[host]['ansible_hostname']}}  
{%endfor%}
```

```
in /home/sandy/ansible/hosts.yml
```

```
---
```

```
- name: use template  
  hosts: all  
  template:  
    src: hosts.j2  
    dest: /root/myhosts  
  when: "dev" in group_names
```

Topic 2, LAB SETUP ?2 control.realmX.example.com _ workstation.lab.example.com node1.realmX.example.com _
servera.lab.example.com node2.realmX.example.com _ serverb.lab.example.com node3.realmX.example.com _
serverc.lab.example.com node4.realmX.example.com _ serverd.lab.example.com node5.realmX.example.com

-username:root, password:redhat

-username:admin, password:redhat

note1. don't change `root` or `admin` password.

note2. no need to create ssh-keygen for access, its pre-defined note3. SELinux is in enforcing mode and firewalld is disabled/stop on whole managed hosts.

[EX294 PDF Dumps](#)

[EX294 Study Guide](#)

[EX294 Braindumps](#)