



EX407^{Q&As}

Red Hat Certified Specialist in Ansible Automation exam

Pass RedHat EX407 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/ex407.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by RedHat
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

State whether the following statement is true or false.

You can change the no of forks ansible uses from the `/etc/ansible/ansible.cfg` file.

- A. True
- B. False

Correct Answer: A

`/etc/ansible/ansible.cfg` file is the default location of the configuration file.

QUESTION 2

Which command is the correct way to run the playbook `/home/ansible/Buildwww.yml` using the inventory file `/home/ansible/inventory`, assuming your present working directory is `/home/ansible`?

- A. `ansible -i inventory Build.yml`
- B. `ansible -i inventory -p Buildwww.yml`
- C. `ansible-playbook -i inventory -p Buildwww.yml`
- D. `ansible-playbook -i inventory Buildwww.yml`

Correct Answer: D

This command is the correct way to run the playbook using the requested inventory

QUESTION 3

Create the users in the file `usersjst.yml` file provided. Do this in a playbook called `users.yml` located at `/home/sandy/ansible`. The passwords for these users should be set using the `lock.yml` file from TASK7. When running the playbook, the `lock.yml` file should be unlocked with `secret.txt` file from TASK 7.

All users with the job of `developer` should be created on the dev hosts, add them to the group `devops`, their password should be set using the `pw_dev` variable. Likewise create users with the job of `manager` on the proxy host and add the users to the group `managers`, their password should be set using the `pw_mgr` variable.

`users_list.yml`



```
users:  
  - username: bill  
    job: developer  
  - username: chris  
    job: manager  
  - username: dave  
    job: test  
  - username: ethan  
    job: developer
```

Correct Answer:

See the for complete Solution below. `ansible-playbook users.yml -vault-password-file=secret.txt`



```
- name: create users
hosts: all
vars_files:
  - users_list.yml
  - lock.yml
tasks:
  - name: create devops group nodes1
    group:
      name: devops
    when: ('dev' in group_names)
  - name: create manager group nodes45
    group:
      name: manager
    when: ('prod' in group_names)
  - name: create devs should happen on node1
    user:
      name: "{{item.username}}"
      groups: devops
      password: "{{ pw_dev | password_hash('sha512') }}"
    when: ('dev' in group_names) and ('developer' in item.job)
    loop: "{{users}}"
  - name: create managers on node45
    user:
      name: "{{item.username}}"
      groups: manager
      password: "{{ pw_mgr | password_hash('sha512') }}"
    when: ('prod' in group_names) and ('manager' in item.job)
    loop: "{{users}}"
```



QUESTION 4

Which module returns Ansible facts?

- A. The facts module
- B. It is a side effect of the ping module
- C. Facts are gathered when you run any module in ad-hoc mode
- D. The setup module

Correct Answer: B

The setup module gathers facts against target hosts and prints the facts to stdout.

QUESTION 5

In what format are ansible playbooks written?

- A. JSON
- B. YAML
- C. XML
- D. Ansible Proprietary Format (APF)

Correct Answer: B

[EX407 Practice Test](#)

[EX407 Study Guide](#)

[EX407 Braindumps](#)