



# EX407<sup>Q&As</sup>

Red Hat Certified Specialist in Ansible Automation exam

## Pass RedHat EX407 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/ex407.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by RedHat  
Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers





### QUESTION 1

Which are of the following are valid uses of a role's meta directory? (Choose all that apply.)

- A. Setting variable values for use within a role.
- B. Setting the allow\_duplicates flag.
- C. A role's dependency information.
- D. Setting the become flag.

Correct Answer: BC

This is a unique flag that is set in the meta directory to allow a role to be repeated within a play. Role dependencies may be defined within the meta directory of a role.

### QUESTION 2

Create a jinja template in /home/sandy/ansible/ and name it hosts.j2. Edit this file so it looks like the one below. The order of the nodes doesn't matter. Then create a playbook in /home/sandy/ansible called hosts.yml and install the template on dev node at /root/myhosts

```
127.0.0.1 localhost localhost.localdomain localhost4 localhost4.localdomain4
::1      localhost localhost.localdomain localhost6 localhost6.localdomain6

10.0.2.1    node1.example.com    node1
10.0.2.2    node2.example.com    node2
10.0.2.3    node3.example.com    node3
10.0.2.4    node4.example.com    node4
10.0.2.5    node5.example.com    node5
```

Correct Answer:

See the for complete Solution below. Solution as:



```
in /home/sandy/ansible/hosts.j2
{%for host in groups['all']%}
{{hostvars[host]['ansible_default_ipv4']['address']}} {{hostvars[host]['ansible_fqdn']}}
{{hostvars[host]['ansible_hostname']}}
{%endfor%}

in /home/sandy/ansible/hosts.yml
---
- name: use template
  hosts: all
  template:
    src: hosts.j2
    dest: /root/myhosts
    when: "dev" in group_names
```

### QUESTION 3

Which of the following is a configuration file for Ansible Tower?

- A. /etc/ansible/tower.py
- B. /etc//tower/settings.ini
- C. /etc/ansible/tower.ini
- D. /etc//tower/settings.py

Correct Answer: D

This file contains tower settings that may be adjusted.

---

### QUESTION 4

State whether the following statement is true or false.

There is a 10 user trial available.

- A. True
- B. False

Correct Answer: A

---



### QUESTION 5

What attribute allows you to cause a play to stop based on a certain failure threshold?

- A. failure\_threshold
- B. serial
- C. acceptable\_failure\_percentage
- D. max\_fail\_percentage

Correct Answer: D

The max\_fail\_percentage will only allow a certain percent of a batch to fail before marking the play failed.

[Latest EX407 Dumps](#)

[EX407 VCE Dumps](#)

[EX407 Practice Test](#)